

Angle Notcher SAFE WORK METHOD STATEMENT (SWMS)												
Т	TASK OR ACTIVITY: Angle Notcher											
Business Name: [Company Name]		ABN: [ABN]	SWMS#									
Business Address: [Company Address]												
Contact Person:	Phone: [Phone]	E qil:										
THIS SAFE WORK METHOD	STATEMENT IS APPROVED BY	THE P. J OF THE PROJECT										
Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts.	cting a business or undertaking (k BU) is	s required to ture out a safe work method s	statement (SWMS) is prepared before									
Full Name:												
Signature:		Title:	Date:									
Details of the person(s) responsible for ensuring implementation, monitoring a	compliance of the SWMS well as review	vs and modifications of the SWMS.										
Full Name:		Title:	Phone:									
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS WMS. ST HAVE THE FOLLOWING COMMUNICATED	N. 1E AND DATED SIGNATURE OF A	ALL RELEVANT PERSONNEL WHO HAVE B OPMENT AND APPROVAL OF THIS SWMS	EEN CONSULTED AND									
Safety meetings or toolbox talks will be sched ed in accordance with egislative requirements to first identify any site hazards, condition of unical those hazards and then to further take steps to either chare or contract a hazard.	NAME	SIGNATURE	DATE									
If an incident or a near miss occurs, all work must structure unately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.												
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.												
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.												



CLIENT OR PRINCIPAL CONTRACTOR DETAILS											
Client:					SCOPE OF WORKS						
Project Name:							k being carried out (otherwise				
Project Address:				ŀ	known as cope of works).						
Project Manager	:										
Contact Phone:											
Project Manager	Signature:										
Date SWMS sup	plied to Project Manag	er:									
		ANY HIG	H-RISK CON TUCT		ARRIED OUT						
involves a risk of	a person falling more than	2 meters.		is carried out on of	near pressurised gas main	s or piping.					
is carried out on	a telecommunication tower			is carried out on o	☐ is carried out on or near chemical, fuel or refrigerant lines.						
involves demoliti	on of an element of a struct	ure that is load-be		is carried out on or	is carried out on or near energised electrical installations or services.						
involves demoliti	on of an element related to	the physical integrit of a st	ir e,	is carried out in an area that may have a contaminated or flammable atmosphere.							
involves, or is like	ely to involve, disturbing a	estos.		involves tilt-up or precast concrete.							
involves structura	al alteration or repair that re	mporan upp to	prevent collapse.	is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor.							
☐ is carried out in c	or near a confined space.			is carried out in an area of a workplace where there is any movement of powered mobile plant.							
☐ is carried out in/r	near a shaft or trench deepe	er than 1.5m or tunnel involv	ving use of explosives.	is carried out in areas with artificial extremes of temperature.							
☐ is carried out in c	or near water or other liquid	that involves a risk of drown	ning.	involves diving wo	rk.						
		ANY	HIGH-RISK MACHINE	RY OR EQUIPMENT	NEARBY						
Forklift	Crane/s	☐ Hoist/s	Excavator	Backhoe/Loader	Boom Lift	EWP	Genie Lift				
Trencher	Drilling Rig	Trucks		Bobcat	E Flammable Gas	Fuel	Dozer				
High Voltage	Mulcher	Tilt-up Panels	Roller	Scissor Lift	Tractor	Other -					







JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
1. Preparation	Poor workspace setup, improper equipment handling	2М	 Ensure the workspace is clean, organised, and clutter-free to reduce the risk of slips, trips, and falls. Clearly mark designated work areas with tance other visual aids to encourage proper equipment placement and prevent encorowding. Regularly inspect all equipment, including thrangle uncher, for signs of wear and tear, and promptly address any identified issue. Prior to starting work, verify at all personnel incred have unceived the necessary training on operating the angle notcher are are ware of potential risks. Equip workers with appendiate to sonal protective equipment (PPE), such as safety goggleen oves, hearing provide on the task. Equip workers with appendiate or sonal protective equipment (PPE), such as safety goggleen oves, hearing provide on the task. Engenage frequent ensumination be ween workers to promote a shared under using on subwork practices, and foster a supportive environment where staff or in hear haze is without fear of reprisal. Estable hick processes for reporting incidents, near misses, and hazards related the equipment hawdling, and ensure these processes are communicated to all beye. Implement a system to monitor and enforce proper lifting techniques when moving navy mawnery components to prevent strains or other injuries. No shor the angle notcher securely to the ground or workbench to minimise the risk of tipping, falling, or other accidents. Position electrical cords and hoses safely out of the way to minimise tripping hazards, and inspect them regularly for damage, replacing faulty cords immediately. Have a qualified first aider readily available onsite to promptly address any injuries that may occur during the preparation stage or while using the angle notcher. Install adequate lighting throughout the work area to ensure visibility and proper identification of hazards, and minimise the risk of injury. Conduct regular toolbox talks or safety briefings to	1L	
2. Safety Check	Incorrect PPE usage, damaged angle notcher	2M	 Ensure that all workers are thoroughly trained on the proper usage of Personal Protective Equipment (PPE) required for this specific work step, such as safety goggles, gloves, ear protection, and steel-toed footwear. Ensure that PPE is checked regularly for any signs of wear and tear, and replace it immediately if it's no longer providing adequate protection. Conduct a pre-use inspection of the angle notcher to ensure that there are no visible damages or defects that could impact its safe operation. 	1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			 Develop a daily or weekly maintenance schedule for the angle notcher to identify and repair any damage or problems early on, preventing them from becoming safety hazards. Provide clear signage and labels indicating the orrect PPE requirements in the work area where the angle notcher is used or emind work ors to use appropriate protection at all times. Encourage a culture of open communication or each PPE user or damaged equipment, can be reported an addressed promp. Assign a responsible context of the team as a safe unicer during the work shift to continuously mount for an ooter of hazards related to the operation of the angle notcher and order that ne usary utrol me unes are enforced. Implement real ar safet valuing ses or or updates to reinforce the importance of differences and the donning of adequate PPEs. Equipment of the order with safety features such as guards, safety switches, or emergeny situates to reinter to the risk of accidents resulting from damaged machinery incoming to pervisors, a densuring they be ton. Escalis a safety protocol for when the angle notcher is discovered to be famage, outlining steps for immediate shutdown or isolation, notifying supervisors, a densuring timely repairs or replacement. Ounduct regular risk assessments to identify new hazards and review existing measures to improve the overall safety standards of the workplace. Foster a proactive approach to safety by encouraging workers to report near misses or incidents and conduct periodic safety audits, sharing the findings with other team members to prevent similar incidents in the future. Seek guidance from industry experts or professional workplace health and safety consultants for best practices on managing hazards related to angle notcher operations. Maintain up-to-date records of equipment maintenance, safety training, and control measure implementation to track adherence to safety protocols and showcase due diligence in en		
3. Set-up	Incorrect tool alignment, inadequate workpiece support	ЗН	 Proper training and guidance: Ensure that workers are adequately trained and competent in the use of angle notcher equipment, understanding the correct alignment and workpiece support procedures. Pre-use inspection: Conduct regular inspections on the angle notcher's components to identify any misalignment or damage before use. Manufacturer's guidelines: Follow the manufacturer's instructions and recommendations for proper tool set-up and alignment to prevent incorrect tool alignment. 	2M	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			 Workspace organisation: Keep the working area clean and free from clutter to provide ample space for proper workpiece placement and tool alignment. 		
			- Calibration and maintenance: Regularly calibrate the maintain the angle notcher to ensure optimal performance and accurate alignment of the tool and workpiece.		
			- Adequate lighting: Ensure that adequate the ting is provided in the workspace to better assess tool alignment and workpiece shourt the using an angle notcher.		
			- Material preparation: Inspect workpieces to ence a they are properly marked, squared, and secured in plat, before using the an enotcher educing the chance of inadequate support.		
			- Ergonomic design and stition. Use appropriate orgonomic furniture and workstations to animise to be exercised and body asplacement when applying pressure on tool and workpiece.		
			 Safe mean: When appropriate safety equipment such as gloves, safety goggles, and expertection mean using an angle notcher to protect against potential debris and not expression. Supervision plave a opervisor or experienced worker check the equipment's 		
	r		Alignme, and a rkpiece support periodically during operations to address any the spin nptly. Emergency stop mechanism: Ensure the angle notcher has a functioning pergency stop system to quickly halt operation if incorrect alignment or inadequate		
			s port is detected. Multiple employees: When manipulating heavy or unwieldy workpieces, have multiple workers assist in the process to ensure proper handling, support, and alignment of the material with the angle notcher.		
	5		 Periodic breaks: Encourage workers to take regular breaks, as fatigue could compromise their ability to adequately align the tool and support the workpiece. This will help maintain focus and attention to detail. 		
4. Notching Operation	Machine malfunction, entanglement risk	ЗH		2M	

Date of Issue:



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
5. Material Handling	Manual lifting injury, disorganized storage area	ЗН		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
	S				
6. Quality Inspection	Human error, unsatisfactory edge finishing	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON

Version 2.5



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
7. Cleaning & Maintenance	Electrical hazard, improper cleaning technique			1L	
8. Waste Disposal	Disordered disposal, sharp waste hazards	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
9. Machine Shutdown	Inappropriate shutdown procedures, electrical hazard	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	PERSON NAME OF PERSON
10. Dismantling	Incorrect disassembly process, damage to parts	ЗН		2M	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
11. Equipment Storage	Improper storage conditions, misplacement of items	2М		1L	

Version 2.5

Date of Issue:



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	IR INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	PERSON NAME OF PERSON
	S				
12. Documentation	Incomplete records, inaccurate reporting	2M		1L	

Version 2.5

Date of Issue:



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON



EMERGENCY RESPONSE - CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE F	REFERENCES
RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEG	GISLATIVE REFERENCES. ANY STATE AT ARE NOT APPLICABLE
Queensland & Australian Capital Territory Work Health and Safety Act 2011 Work Health and Safety Regulations 2011 Legislation QLD: <u>https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws</u> Codes of Practice QLD: <u>https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice</u> Legislation ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice</u> Codes of Practice ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice</u>	Victoria Octopational Health and Safety Action 04 Octopational Health and pafety regulations 2017 Legisloon VIC: <u>https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and- gulated solutional-health-and-safety-act-and- gulated solutional-health-act-act-act-act-act-act-act-act-act-act</u>
New South Wales Work Health and Safety Act 2011 Work Health and Safety Regulations 2017 Legislation NSW: <u>https://www.safework.nsw.gov.au/legal-obligations/legislati</u> Codes of Practice NSW: <u>https://www.safework.nsw.gov.au/resource-library/lis</u>	Western Australia Work Health and Safety Act 2020 Work Health and Safety Regulations 2022 Legislation Western Australia: <u>https://www.commerce.wa.gov.au/worksafe/legislation</u> Codes of Practice WA: <u>https://www.commerce.wa.gov.au/worksafe/codes-practice</u>
Northern Territory Work Health and Safety (National Uniform Legislation) Act 2011 Work Health and Safety (National Uniform Legislation) Regulation 2011 Legislation NT: <u>https://worksafe.nt.gov.au/laws-and-compliance/worplace-serve-laws</u> Codes of Practice NT: <u>https://worksafe.nt.gov.au/fecture-serve-laws</u>	Safe Work Australia Links Law and Regulation (All States): <u>https://www.safeworkaustralia.gov.au/law-and-regulation</u> Model Codes of Practice: <u>https://www.safeworkaustralia.gov.au/resources-publications/model- codes-of-practice</u>
South Australia Work Health and Safety Act 2012 (SA) Work Health and Safety Regulations 2012 (SA) Legislation for SA: <u>https://www.safework.sa.gov.au/resources/legislation</u> Codes of Practice for SA: <u>https://www.safework.sa.gov.au/work_saces/codes-of-practice#COPs</u>	Model Codes of Practice - Managing noise and preventing hearing loss at work - Confined spaces - Labelling of workplace hazardous chemicals - Managing risks of hazardous chemicals in the workplace - Welding processes
Tasmania Work Health and Safety Act 2012 Work Health and Safety (Transitional and Consequential Provisions) Act 2012 Work Health and Safety Regulations 2012 Work Health and Safety (Transitional) Regulations 2012 Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice	 First aid in the workplace Managing the risk of falls at workplaces Hazardous manual tasks Managing the risk of falls in housing construction Managing electrical risks in the workplace Demolition work Excavation work
Details of permits, licenses or access required by regulatory bodies (add or delete as required): - Permits from local council - Authorisation to commence work	 Work health and safety consultation, cooperation and coordination Managing the work environment and facilities How to manage work health and safety risks Managing risks of plant in the workplace Construction work

- Any required documents.



SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Position	Signature	Date	Time	Supervisor
			Date:		
			Datu		
			ı te:		
			Date:		

SAF WC A STHUD STATEMENT MONITORING AND REVIEW

The SWMS must be reviewed regularly to review the sure it remains revised if necessary) if relevant control measure are a conconsultation with workers (including contractors are subcontract of the SWMS and their health and safety representatives who re workplace.

ke sure it remains effective and must be reviewed (and acception of the process should be carried out in s any subcontract s) who may be affected by the operation esentatives who recented that work group at the

When the SWMS has been revised the PCBU must ensure that all persons involved with the work are advised that a revision has been made and how they can access the revised SWMS, including all persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

- 1. Spot Checks.
- 2. Consultation with workers, contractors and sub-contractors.
- 3. Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies, followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	1	2	3	4	5	6	7
NAME							
INITIALS							
DATE							



SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	TO BE DONE	COMMENTS
The company details have been entered, including the project name and address.			
Names and signatures of all relevant personnel consulted during the development of the SWMS.		P	
Name, signature, position and date signed of the person approving the SWMS.			
Specific personnel and qualifications, experience is noted in the SWMS.			
Provides a step-by-step process of tasks required to carry out the activity or task.			
Adequate risk assessment of any identified hazards has been completed.			
Foreseeable hazards are identified and documented for each step.			
Any hazards listed in any site risk assessments have been added to the SWN			
SWMS initial risk (IR) column as well as residual risk (RR) columns completed.			
Check control measures added to the SWMS are the most effecting sections.			
Responsible person is assigned and listed on the SWMS for the impement of continue measures.			
Permit requirements specified, such as Hot Wren Electrical Work, Versat Heights etc.			
SWMS identifies plant and equipment to be up.			
Details of inspection checks required for any equipment listed ar noted on the SWMS.			
Describes any mandatory qualifications, experience vaining skills required to perform the work.			
Applicable personal protective equipment is selected on the SWMS.			
Lists any required permits or licenses.			
Reflects and documents any legislative references and/or Australian Standards.			
Identifies any hazardous substances used with specific control measures in line with any SDS.			
REVIEWED BY	DATE RI	EVIEWED	
SIGNATURE	DATE COMPLETED		