

| Cable Stripper   SAFE WORK METHOD STATEMENT (SWMS)   |   |   |                                     |  |  |  |  |  |  |  |
|--|---|---|-------------------------------------|--|--|--|--|--|--|--|
| TASK OR ACTIVITY: Cable Stripper   |   |   |                                     |  |  |  |  |  |  |  |
| Business Name: [Company Name]  |   | ABN: [ABN]  | SWMS#                               |  |  |  |  |  |  |  |
| Business Address: [Company Address]  |   |   |                                     |  |  |  |  |  |  |  |
| Contact Person:  | Phone: [Phone]                            | E pil:  |                                     |  |  |  |  |  |  |  |
| THIS SAFE WORK METHOD  | STATEMENT IS APPROVED BY                  | THE PL OF THE PROJECT   |                                     |  |  |  |  |  |  |  |
| Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts.   | cting a business or undertaking (k BU) is | required to thurshout a safe work method s                            | statement (SWMS) is prepared before |  |  |  |  |  |  |  |
| Full Name:   |   |   |                                     |  |  |  |  |  |  |  |
| Signature:   |   | Title:  | Date:                               |  |  |  |  |  |  |  |
| Details of the person(s) responsible for ensuring implementation, monitoring a   | compliance of the SWMS well as review     | vs and modifications of the SWMS.                                     |                                     |  |  |  |  |  |  |  |
| Full Name:   |   | Title:  | Phone:                              |  |  |  |  |  |  |  |
| ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS WMS. ST<br>HAVE THE FOLLOWING COMMUNICATED   |   | ALL RELEVANT PERSONNEL WHO HAVE B<br>OPMENT AND APPROVAL OF THIS SWMS | EEN CONSULTED AND                   |  |  |  |  |  |  |  |
| Safety meetings or toolbox talks will be sched ed in accordance with egislative requirements to first identify any site hazards, conduct or unical those hazards and then to further take steps to either conduct or conduct a rhazard.  | NAME                                      | SIGNATURE   | DATE                                |  |  |  |  |  |  |  |
| If an incident or a near miss occurs, all work must structure unately. Depending<br>on the severity of the incident, a meeting will be called with all workers to amend<br>the SWMS if required. The meeting may also be an educational opportunity.   |   |   |                                     |  |  |  |  |  |  |  |
| Any changes made to the SWMS after an incident or a near miss must be<br>approved by the Person Conducting Business or Undertaking and<br>communicated to all relevant personnel.  |   |   |                                     |  |  |  |  |  |  |  |
| The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident. |   |   |                                     |  |  |  |  |  |  |  |



| CLIENT OR PRINCIPAL CONTRACTOR DETAILS |                                 |                               |                         |  |                           |              |                                |  |  |  |  |
|--|---------------------------------|-------------------------------|-------------------------|--|---------------------------|--------------|--------------------------------|--|--|--|--|
| Client:                                |                                 |                               |                         |  | SCOPE OF WORKS            |              |                                |  |  |  |  |
| Project Name:                          |                                 |                               |                         |  |                           |              | k being carried out (otherwise |  |  |  |  |
| Project Address:                       |                                 |                               |                         | ŀ  | known as cope of works).  |              |                                |  |  |  |  |
| Project Manager                        | :                               |                               |                         |  |                           |              |                                |  |  |  |  |
| Contact Phone:                         |                                 |                               |                         |  |                           |              |                                |  |  |  |  |
| Project Manager                        | Signature:                      |                               |                         |  |                           |              |                                |  |  |  |  |
| Date SWMS sup                          | plied to Project Manag          | er:                           |                         |  |                           |              |                                |  |  |  |  |
|  |                                 | ANY HIG                       | H-RISK CON TUCT         |  | ARRIED OUT                |              |                                |  |  |  |  |
| involves a risk of                     | a person falling more than      | 2 meters.                     |                         | is carried out on of   | near pressurised gas main | s or piping. |                                |  |  |  |  |
| is carried out on                      | a telecommunication tower       |                               |                         | ☐ is carried out on or near chemical, fuel or refrigerant lines.                               |                           |              |                                |  |  |  |  |
| involves demoliti                      | on of an element of a struct    | ure that is load-be           |                         | ☐ is carried out on or near energised electrical installations or services.                    |                           |              |                                |  |  |  |  |
| involves demoliti                      | on of an element related to     | the physical integrit of a st | ir e,                   | is carried out in an area that may have a contaminated or flammable atmosphere.                |                           |              |                                |  |  |  |  |
| involves, or is like                   | ely to involve, disturbing a    | estos.                        |                         | involves tilt-up or precast concrete.  |                           |              |                                |  |  |  |  |
| involves structura                     | al alteration or repair that re | mporan upp to                 | prevent collapse.       | is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor. |                           |              |                                |  |  |  |  |
| ☐ is carried out in c                  | or near a confined space.       |                               |                         | is carried out in an area of a workplace where there is any movement of powered mobile plant.  |                           |              |                                |  |  |  |  |
| ☐ is carried out in/r                  | near a shaft or trench deepe    | er than 1.5m or tunnel involv | ving use of explosives. | is carried out in areas with artificial extremes of temperature.                               |                           |              |                                |  |  |  |  |
| ☐ is carried out in c                  | or near water or other liquid   | that involves a risk of drown | ning.                   | involves diving wo   | rk.                       |              |                                |  |  |  |  |
|  |                                 | ANY                           | HIGH-RISK MACHINE       | RY OR EQUIPMENT  | NEARBY                    |              |                                |  |  |  |  |
| Forklift                               | Crane/s                         | ☐ Hoist/s                     | Excavator               | Backhoe/Loader   | Boom Lift                 | EWP          | Genie Lift                     |  |  |  |  |
| Trencher                               | Drilling Rig                    | Trucks                        |                         | Bobcat   | E Flammable Gas           | Fuel         | Dozer                          |  |  |  |  |
| High Voltage                           | Mulcher                         | Tilt-up Panels                | Roller                  | Scissor Lift   | Tractor                   | Other -      |                                |  |  |  |  |







| JOB STEP                  | POTENTIAL HAZARDS               | IR              | CONTROL MEASURES   | RR               | RESPONSIBLE<br>PERSON |
|---------------------------|---------------------------------|-----------------|--|------------------|-----------------------|
| SPECIFIC WORK STEPS       | HAZARDS THAT MAY ARISE          | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS   | RESIDUAL<br>RISK | NAME OF PERSON        |
| SPECIFIC WORK STEPS       | Electric shock, Trips and falls |                 | <ul> <li>SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS</li> <li>Inspect the work area for any potential electrical hazards before starting any cable stripping operation. Ensure that all electrical equipments is de-energised and locked/tagged out as appropriate.</li> <li>Provide training to all workers involved in unceable stripping process on high-risk scenarios, such as working near energised all ipment of a provide them with the knowledge and skills needed to identify hazar appropriate actions to mitigate risks.</li> <li>Use appropriate personal projective equipment (NEE), such as safety gloves and goggles, to protect workers from electric shock or injure unditing from trips and falls.</li> <li>Ensure that work are aring to propriate foot wear with slip-resistant soles to minimise the fact of slips, true, and us during uncle stripping tasks.</li> <li>Keep the work trea wells and cleare unnimise the risk of trips and falls. Clean up alreadils, device access equipment safely and in accordance with manufa functional program y cable stripping tasks that require elevation.</li> <li>Use to be require being my cable stripping tasks that require elevation.</li> <li>Gure fasten by loose or hanging cables to prevent trips and falls. If securing then not possible, clearly mark these cables as a potential hazard to alert other orkers are area.</li> <li>Neise insulated tools designed specifically for cable stripping to prevent accidental elevitic shock during the preparation phase of the job.</li> <li>Use cable strippers with an ergonomic design to minimise the risk of worker fatigue and strain, which could contribute to trip-and-fall accidents.</li> <li>Establish clear communication channels between workers and supervisors to ensure immediate reporting of any safety issues, including potential hazards such as exposed wires or unsecured cables.</li> <li>Conduct regular safety assessments throughout the cable stripping process to evaluate the effectiveness of control measures and make necessary adj</li></ul> |                  | NAME OF PERSON        |
|                           |                                 |                 | <ul> <li>Encourage workers to report near misses and accidents immediately in accordance<br/>with your company's reporting protocol. Use this information to analyse the root<br/>cause of such incidents and implement appropriate preventative measures moving<br/>forward.</li> </ul>   |                  |                       |
| 2. Assessing<br>workspace | Poor lighting, Cluttered area   | 2M              | <ul> <li>Ensure that all workspaces are adequately lit, either through the use of natural light<br/>or by installing supplementary artificial light sources.</li> </ul>  | 1L               |                       |



| JOB STEP                | POTENTIAL HAZARDS             | IR              | CONTROL MEASURES  | RR               | RESPONSIBLE<br>PERSON |
|-------------------------|-------------------------------|-----------------|---|------------------|-----------------------|
| SPECIFIC WORK STEPS     | HAZARDS THAT MAY ARISE        | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS  | RESIDUAL<br>RISK | NAME OF PERSON        |
|                         |                               |                 | - Conduct regular inspections and assessments of the workspace to evaluate the lighting situation and make necessary adjustments accordingly.   |                  |                       |
|                         |                               |                 | - Provide portable and adjustable task lights for way us to use as needed when working on specific tasks that require additional amination.   |                  |                       |
|                         |                               |                 | - Implement a clear and established house upping processive to keep workspaces free from clutter, trip hazards, and unnecess.   |                  |                       |
|                         |                               |                 | - Assign responsibilities for daily cleaning and our using tasks among the employees, emphasising the poortance of keeping their space clutter-free.  |                  |                       |
|                         |                               |                 | - Establish designated storage cas for tools, equip cand personal belongings to keep these item care e way indireduce potential hazards.  |                  |                       |
|                         |                               |                 | - Hold regulate solbox meetings and the fety trace in greessions to educate employees about the implance of mantaining a series ganised and clutter-free workspace.   |                  |                       |
|                         |                               |                 | - End the em, which to report any hazardous conditions or obstacles they encoure the whispace so that swift corrective action can be taken.   |                  |                       |
|                         |                               |                 | - Implement, clean-a you-go policy, requiring workers to tidy and organise their area pendical throughout the day, rather than waiting for the end of the shift.  |                  |                       |
|                         |                               |                 | - parly ark we ways and aisles, ensuring that they remain free of obstructions at all the allow safe movement and emergency access.   |                  |                       |
|                         |                               |                 | acorporate proper ergonomics into the workspace design, including appropriately-<br>st of furniture and workstations to ensure employees can work comfortably, reduce<br>reach distances, and minimise strain.  |                  |                       |
|                         | G                             |                 | <ul> <li>Make it mandatory for workers to wear appropriate Personal Protective Equipment<br/>(PPE), such as high visibility clothing in poorly lit areas, to help with visibility and<br/>identification between coworkers.</li> </ul>                |                  |                       |
|                         |                               |                 | - Frequently review and update workplace policies and Standard Work Method Statements (SWMS) to reflect best practices in workplace safety, especially related to workspace assessment and hazard mitigation.   |                  |                       |
|                         |                               |                 | <ul> <li>Conduct regular inspections: Always inspect the cable stripper and other necessary<br/>tools for any visible signs of damage or wear before commencing work, as damaged<br/>tools can pose a significant risk to operator safety.</li> </ul> |                  |                       |
| 3. Equipment inspection | Damaged tools, Inadequate PPE | ЗH              | - Proper tool maintenance: Keep all tools well-maintained and lubricated according to the manufacturer's guidelines. This will prevent tool deterioration and reduce the chance of accidents caused by equipment failure.                             | 1L               |                       |
|                         |                               |                 | - Replace damaged tools: As soon as any damage is noticed on a cable stripper or other essential tools, immediately replace the faulty equipment with a correctly functioning alternative.  |                  |                       |
|                         |                               |                 | <ul> <li>Use appropriate PPE: Ensure that all workers are equipped with the necessary<br/>personal protective equipment (PPE) such as gloves, safety goggles, and hearing<br/>protection before engaging in the cable stripping process.</li> </ul>   |                  |                       |



| JOB STEP                | POTENTIAL HAZARDS                                  | IR              | CONTROL MEASURES   | RR               | RESPONSIBLE<br>PERSON |
|-------------------------|--|-----------------|--|------------------|-----------------------|
| SPECIFIC WORK STEPS     | HAZARDS THAT MAY ARISE                             | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS   | RESIDUAL<br>RISK | NAME OF PERSON        |
|                         |  |                 | - Educate on correct PPE usage: Provide training sessions to educate personnel on how to use and maintain their PPE properly. This includes ensuring a correct fit, regularly checking for damage or wear, and following ppropriate cleaning procedures.   |                  |                       |
|                         |  |                 | - Store equipment safely: When not in use the pall tools securely stored in designated areas to minimise the chance of cidental strage, loss, or misuse.   |                  |                       |
|                         |  |                 | - Implement an equipment checklist: Develop a traplement a standardised equipment inspection checklist for workers to us at the beginner of each shift. This will ensure that all tools and here are thoroughly a cossed for using or inadequacy, promoting a safer and environment.   |                  |                       |
|                         |  |                 | - Encourage open communication, ester a culture of open communication among team member encouraging them to export an essues or concerns regarding equipment on PE prompt  |                  |                       |
|                         |  |                 | - Convergela, under Carry out periodic audits on all equipment and PPE to<br>ensure pliance the workplace health and safety regulations and identify<br>potent the ords are preas for improvement early.   |                  |                       |
|                         |  |                 | - Enforce properties of the second se |                  |                       |
|                         |  |                 | Estable preventative maintenance schedule: Implement a maintenance gramme to reduce the likelihood of equipment failure and improve the working life of tools.   |                  |                       |
|                         |  |                 | Keep up-to-date with legislation and guidelines: Remain informed about current industry standards, best practices, and any new regulations relevant to equipment inspection and PPE usage to ensure ongoing compliance and worker safety.  |                  |                       |
|                         |  |                 |  |                  |                       |
|                         |  |                 |  |                  |                       |
| 4. Cable identification | Incorrect cable identification, Mislabelled cables | 3H              |  | 2M               |                       |
|                         |  |                 |  |                  |                       |
|                         |  |                 |  |                  |                       |



| JOB STEP            | POTENTIAL HAZARDS                | IR              | CONTROL MEASURES   | RR               | RESPONSIBLE<br>PERSON |
|---------------------|----------------------------------|-----------------|--|------------------|-----------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE           | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK | NAME OF PERSON        |
|                     |                                  |                 |  |                  |                       |
| 5. Secure cables    | Misalignment, Insecure fastering | 2М              |  | 1L               |                       |



| JOB STEP            | POTENTIAL HAZARDS                  | IR              | CONTROL MEASURES   | RR               | RESPONSIBLE<br>PERSON |
|---------------------|------------------------------------|-----------------|--|------------------|-----------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE             | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK | NAME OF PERSON        |
|                     |                                    |                 |  |                  |                       |
|                     |                                    |                 |  |                  |                       |
| 6. Cutting cables   | Injury from sharp edges, Incorrect | ЗН              |  | 2M               |                       |
|                     | cutting technique                  |                 |  |                  |                       |



| JOB STEP                 | POTENTIAL HAZARDS                           | IR              | CONTROL MEASURES   | RR               | RESPONSIBLE<br>PERSON |
|--------------------------|---|-----------------|--|------------------|-----------------------|
| SPECIFIC WORK STEPS      | HAZARDS THAT MAY ARISE                      | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK | NAME OF PERSON        |
|                          |   |                 |  |                  |                       |
| 7. Separating conductors | Contact with live wires, Exposed conductors | 4A              |  | 2M               |                       |



| JOB STEP                | POTENTIAL HAZARDS  | IR              | CONTROL MEASURES   | RR               | RESPONSIBLE<br>PERSON |
|-------------------------|--|-----------------|--|------------------|-----------------------|
| SPECIFIC WORK STEPS     | HAZARDS THAT MAY ARISE                                       | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK | NAME OF PERSON        |
|                         |  |                 |  |                  |                       |
| 8. Stripping insulation | Insufficient insulation removal, Damage to conductor strands | ЗН              |  | 1L               |                       |



| JOB STEP                       | POTENTIAL HAZARDS                      | IR              | CONTROL MEASURES   | RR               | RESPONSIBLE<br>PERSON |
|--------------------------------|--|-----------------|--|------------------|-----------------------|
| SPECIFIC WORK STEPS            | HAZARDS THAT MAY ARISE                 | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK | NAME OF PERSON        |
|                                |  |                 |  |                  |                       |
| 9. Termination<br>installation | Loose terminations, Faulty connections | ЗН              |  | 2М               |                       |



| JOB STEP            | POTENTIAL HAZARDS                 | IR              | CONTROL MEASURES   | RR               | RESPONSIBLE<br>PERSON |
|---------------------|-----------------------------------|-----------------|--|------------------|-----------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE            | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK | NAME OF PERSON        |
|                     |                                   |                 |  |                  |                       |
| 10. Cable testing   | False readings, Undetected faults | 2M              |  | 1L               |                       |



| JOB STEP             | POTENTIAL HAZARDS                     | IR              | CONTROL MEASURES   | RR               | RESPONSIBLE<br>PERSON |
|----------------------|---------------------------------------|-----------------|--|------------------|-----------------------|
| SPECIFIC WORK STEPS  | HAZARDS THAT MAY ARISE                | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK | NAME OF PERSON        |
|                      |                                       |                 |  |                  |                       |
| 11. Labelling cables | Mislabelled cables, Incomplete labels | 2M              |  | 1L               |                       |

Date of Issue:



| JOB STEP            | POTENTIAL HAZARDS                               | IR              | CONTROL MEASURES   | RR               | RESPONSIBLE<br>PERSON |
|---------------------|---|-----------------|--|------------------|-----------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE                          | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK | NAME OF PERSON        |
|                     |   |                 |  |                  |                       |
| 12. Clean-up        | Building material waste, Debris in work<br>area | 2M              |  | 1L               |                       |



| JOB STEP            | POTENTIAL HAZARDS      | IR              | CONTROL MEASURES   | RR               | RESPONSIBLE<br>PERSON |
|---------------------|------------------------|-----------------|--|------------------|-----------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK | NAME OF PERSON        |
|                     |                        |                 |  |                  |                       |
|                     |                        |                 |  |                  |                       |
|                     |                        |                 |  |                  |                       |



#### EMERGENCY RESPONSE - CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

| LEGISLATIVE F   | REFERENCES  |  |  |  |  |
|---|---|--|--|--|--|
| RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES ANY STATE AT ARE NOT APPLICABLE   |   |  |  |  |  |
| Queensland & Australian Capital Territory<br>Work Health and Safety Act 2011<br>Work Health and Safety Regulations 2011<br>Legislation QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws<br>Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice<br>Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice<br>Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice   | Victoria<br>Occupational Health and Safety Active 04<br>Occupational Health and unfetworegulations 2017<br>Legislation VIC: <u>https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and-<br/>gulaters</u><br>Unles of mactice VIC <u>https://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice</u>    |  |  |  |  |
| New South Wales<br>Work Health and Safety Act 2011<br>Work Health and Safety Regulations 2017<br>Legislation NSW: <u>https://www.safework.nsw.gov.au/legal-obligations/legislati</u><br>Codes of Practice NSW: <u>https://www.safework.nsw.gov.au/resource-library/lis</u>  | Western Australia<br>Work Health and Safety Act 2020<br>Work Health and Safety Regulations 2022<br>Legislation Western Australia: <u>https://www.commerce.wa.gov.au/worksafe/legislation</u><br>Codes of Practice WA: <u>https://www.commerce.wa.gov.au/worksafe/codes-practice</u>   |  |  |  |  |
| Northern Territory<br>Work Health and Safety (National Uniform Legislation) Act 2011<br>Work Health and Safety (National Uniform Legislation) Regulation 2011<br>Legislation NT: <u>https://worksafe.nt.gov.au/laws-and-compliance/worplace-sectedays</u><br>Codes of Practice NT: <u>https://worksafe.nt.gov.au/laws-and-compliance/worplace-sectedays</u>   | Safe Work Australia Links<br>Law and Regulation (All States): <u>https://www.safeworkaustralia.gov.au/law-and-regulation</u><br>Model Codes of Practice: <u>https://www.safeworkaustralia.gov.au/resources-publications/model-<br/>codes-of-practice</u>  |  |  |  |  |
| South Australia<br>Work Health and Safety Act 2012 (SA)<br>Work Health and Safety Regulations 2012 (SA)<br>Legislation for SA: <u>https://www.safework.sa.gov.au/resources/legislation</u><br>Codes of Practice for SA: <u>https://www.safework.sa.gov.au/worf_aces/codes-of-practice#COPs</u>  | Model Codes of Practice         - Managing noise and preventing hearing loss at work         - Confined spaces         - Labelling of workplace hazardous chemicals         - Managing risks of hazardous chemicals in the workplace  |  |  |  |  |
| Tasmania         Work Health and Safety Act 2012         Work Health and Safety (Transitional and Consequential Provisions) Act 2012         Work Health and Safety Regulations 2012         Work Health and Safety (Transitional) Regulations 2012         Legislation for TAS: <a href="https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations">https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations</a> Codes of Practice for TAS: <a href="https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice">https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice</a> | <ul> <li>Welding processes</li> <li>First aid in the workplace</li> <li>Managing the risk of falls at workplaces</li> <li>Hazardous manual tasks</li> <li>Managing the risk of falls in housing construction</li> <li>Managing electrical risks in the workplace</li> <li>Demolition work</li> <li>Excavation work</li> </ul> |  |  |  |  |
| Details of permits, licenses or access required by regulatory bodies (add or delete as required):<br>- Permits from local council<br>- Authorisation to commence work   | <ul> <li>Work health and safety consultation, cooperation and coordination</li> <li>Managing the work environment and facilities</li> <li>How to manage work health and safety risks</li> <li>Managing risks of plant in the workplace</li> <li>Construction work</li> </ul>  |  |  |  |  |

- Any required documents.



#### SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

| Worker Name | Position | Signature | Date  | Time | Supervisor |
|-------------|----------|-----------|-------|------|------------|
|             |          |           | Date: |      |            |
|             |          |           | Dat   |      |            |
|             |          |           | t te: |      |            |
|             |          |           | Date: |      |            |

#### SAF WC A STHUD STATEMENT MONITORING AND REVIEW

The SWMS must be reviewed regularly to review the sure it remains revised if necessary) if relevant control measure are a conconsultation with workers (including contractors are subcontract of the SWMS and their health and safety representatives who re workplace.

ke sure it remains effective and must be reviewed (and are subcontractions) who may be affected by the operation sentatives who received that work group at the

When the SWMS has been revised the PCBU must ensure that all persons involved with the work are advised that a revision has been made and how they can access the revised SWMS, including all persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

- 1. Spot Checks.
- 2. Consultation with workers, contractors and sub-contractors.
- 3. Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies, followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

| REVIEW NUMBER | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
|---------------|---|---|---|---|---|---|---|
| NAME          |   |   |   |   |   |   |   |
| INITIALS      |   |   |   |   |   |   |   |
| DATE          |   |   |   |   |   |   |   |



#### SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

| ITEMS WHICH MUST BE INCLUDED IN THE SWMS  | COMPLETED | TO BE DONE | COMMENTS |
|---|-----------|------------|----------|
|   |           |            |          |
| The company details have been entered, including the project name and address.                  |           |            |          |
| Names and signatures of all relevant personnel consulted during the development of the SWMS.    |           | P          |          |
| Name, signature, position and date signed of the person approving the SWMS.                     |           |            |          |
| Specific personnel and qualifications, experience is noted in the SWMS.                         |           |            |          |
| Provides a step-by-step process of tasks required to carry out the activity or task.            |           |            |          |
| Adequate risk assessment of any identified hazards has been completed.                          |           |            |          |
| Foreseeable hazards are identified and documented for each step.                                |           |            |          |
| Any hazards listed in any site risk assessments have been added to the SWN                      |           |            |          |
| SWMS initial risk (IR) column as well as residual risk (RR) columns completed.                  |           |            |          |
| Check control measures added to the SWMS are the most effecting sections.                       |           |            |          |
| Responsible person is assigned and listed on the SWMS for the impement of continue measures.    |           |            |          |
| Permit requirements specified, such as Hot Wren Electrical Work, Versat Heights etc.            |           |            |          |
| SWMS identifies plant and equipment to be up.   |           |            |          |
| Details of inspection checks required for any equipment listed ar noted on the SWMS.            |           |            |          |
| Describes any mandatory qualifications, experience vaining skills required to perform the work. |           |            |          |
| Applicable personal protective equipment is selected on the SWMS.                               |           |            |          |
| Lists any required permits or licenses.   |           |            |          |
| Reflects and documents any legislative references and/or Australian Standards.                  |           |            |          |
| Identifies any hazardous substances used with specific control measures in line with any SDS.   |           |            |          |
|   |           |            |          |
| REVIEWED BY   | DATE RI   | EVIEWED    |          |
| SIGNATURE   | DATE CO   | MPLETED    |          |