

| Chain Wire Fencing Mad   | chine   SAFE WORK METHO                                       | OD STATEMENT (SWMS)   |                                    |
|--|---|---|------------------------------------|
| TASK O   | R ACTIVITY: Chain Wire Fencing                                | Machine   |                                    |
| Business Name: [Company Name]  |   | ABN: [ABN]  | SWMS#                              |
| Business Address: [Company Address]  |   |   |                                    |
| Contact Person:  | Phone: [Phone]  | E fil:  |                                    |
| THIS SAFE WORK METHOD  | STATEMENT IS APPROVED BY                                      | THE PL OF THE PROJECT   |                                    |
| Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts.   | cting a business or undertaking (I 3U) is                     | required to ture at a safe work method s                            | tatement (SWMS) is prepared before |
| Full Name:   |   |   |                                    |
| Signature:   |   | Title:  | Date:                              |
| Details of the person(s) responsible for ensuring implementation, monitoring   | compliance of the SWMS well as review                         | s and modifications of the SWMS.                                    |                                    |
| Full Name:   |   | Title:  | Phone:                             |
| ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS WMS. ST HAVE THE FOLLOWING COMMUNICATED  | N. 1E AND DATED SIGNATURE OF A CO. MUNICATED TO IN THE DEVELO | LL RELEVANT PERSONNEL WHO HAVE B<br>PMENT AND APPROVAL OF THIS SWMS | EEN CONSULTED AND                  |
| Safety meetings or toolbox talks will be sched ed in accordance with egislative requirements to first identify any site hazards, conditions those hazards and then to further take steps to either take or conditions are a chazard.   | NAME  | SIGNATURE   | DATE                               |
| If an incident or a near miss occurs, all work must structurately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.   |   |   |                                    |
| Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.  |   |   |                                    |
| The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident. |   |   |                                    |


Version 2.5 Authorised by Review # Date of Issue: Review Date: 1



|  |                              | CLI                            | ENT OR PRINCIPAL     | CONTRACTOR E  | DETAILS                            |                               |                        |  |
|--|------------------------------|--------------------------------|----------------------|---|------------------------------------|-------------------------------|------------------------|--|
| Client:  |                              |                                |                      |   |                                    | SCOPE OF WORKS                |                        |  |
| Project Name:  |                              |                                |                      |   | Provide a detailed description     | n of the specific work being  | carried out (otherwise |  |
| Project Address:   |                              |                                |                      |   | known as cope of works).           |                               |                        |  |
| Project Manager:   |                              |                                |                      |   |                                    |                               |                        |  |
| Contact Phone:   |                              |                                |                      |   |                                    |                               |                        |  |
| Project Manager Sig  | nature:                      |                                |                      |   |                                    |                               |                        |  |
| Date SWMS supplie  | d to Project Manager:        |                                |                      |   |                                    |                               |                        |  |
|  |                              | ANY HIGH-                      | RISK CON PUCT        | N' JRK BEING  | CARRIED OUT                        |                               |                        |  |
| ANY HIGH-RISK CON involves a risk of a person falling more than 2 meters.  |                              |                                |                      | is carried out on or near pressurised gas mains or piping.                  |                                    |                               |                        |  |
| is carried out on a tel  | ecommunication tower.        |                                |                      | is carried out on or near chemical, fuel or refrigerant lines.              |                                    |                               |                        |  |
| ☐ is carried out on a telecommunication tower.  ☐ involves demolition of an element of a structure that is load-be in. |                              |                                |                      | ☐ is carried out on or near energised electrical installations or services. |                                    |                               |                        |  |
| ☐ involves demolition of   | f an element related to the  | physical integril of a str     | Q.                   | is carried out in   | an area that may have a conta      | minated or flammable atmo     | sphere.                |  |
| ☐ involves, or is likely to  | o involve, disturbing a      | tos.                           |                      | ☐ involves tilt-up o  | or precast concrete.               |                               |                        |  |
| involves structural alt  | eration or repair that re    | mporal, upp to p               | revent collapse.     | is carried out on   | n, in or adjacent to a road, railw | ay, shipping lane or other to | raffic corridor.       |  |
| is carried out in or ne  | ar a confined space.         |                                |                      | ☐ is carried out in   | an area of a workplace where       | there is any movement of p    | owered mobile plant.   |  |
| is carried out in/near   | a shaft or trench deeper th  | nan 1.5m or tunnel involvin    | g use of explosives. | ☐ is carried out in   | areas with artificial extremes o   | f temperature.                |                        |  |
| is carried out in or ne  | ar water or other liquid tha | at involves a risk of drowning | ng.                  | involves diving   | work.                              |                               |                        |  |
|  |                              | ANY HI                         | GH-RISK MACHINER     | RY OR EQUIPME   | NT NEARBY                          |                               |                        |  |
| ☐ Forklift   | ☐ Crane/s                    | ☐ Hoist/s                      | ☐ Excavator          | ☐ Backhoe/Loade   | er 🔲 Boom Lift                     | □ EWP                         | ☐ Genie Lift           |  |
| ☐ Trencher   | ☐ Drilling Rig               | Trucks                         | Formwork             | ☐ Bobcat  | ☐ Flammable Gas                    | ☐ Fuel                        | ☐ Dozer                |  |
| ☐ High Voltage   | ☐ Mulcher                    | ☐ Tilt-up Panels               | Roller               | ☐ Scissor Lift  | ☐ Tractor                          | Other -                       |                        |  |

Version 2.5 Authorised by Review # Date of Issue: Review Date: 2





#### PER NAL TECTIVE EQUIPMENT (PPE)

| FOOT<br>PROTECTION | HAND<br>PROTECTION | HEAD<br>PROTECTION | HEARING<br>PROTECTION | PROTE | SPIRATORY<br>P TECTION | FACE<br>PROTECTION | HIGH-VIS<br>CLOTHING | PROTECTIVE<br>CLOTHING | FALL<br>PROTECTION | SUN<br>PROTECTION | HAIR/JEWELLERY<br>SECURED |
|--------------------|--------------------|--------------------|-----------------------|-------|------------------------|--------------------|----------------------|------------------------|--------------------|-------------------|---------------------------|
|                    |                    |                    | A                     |       |                        |                    |                      |                        |                    |                   |                           |
|                    |                    |                    |                       |       |                        |                    |                      |                        |                    |                   |                           |

Select me appropriate PPE above suitable for the equipment used or the job task being performed (if applicable).

**Note:** A SWMS must be reviewed regularly to make sure it remains effective. A SWMS must be reviewed (and revised if necessary) if relevant control measures are revised. The review process should be carried out in consultation with workers (including contractors and subcontractors) who may be affected by the operation of the SWMS and their health and safety representatives who represented that work group at the workplace.

When a SWMS has been revised, the person conducting a business or undertaking must ensure all:

- 1. persons involved in the work are advised that a revision has been made and how they can access the revised SWMS;
- 2. persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS: and.
- 3. workers that will be involved in the work are provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.



| JOB STEP            | POTENTIAL HAZARDS   | IR              | CONTROL MEASURES  | RR               | RESPONSIBLE PERSON |
|---------------------|---|-----------------|---|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE                                    | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS  | RESIDUAL<br>RISK | NAME OF PERSON     |
| 1. Preparation      | Manual handling injuries, Incorrect tools/equipment usage | 2M              | <ul> <li>Ensure all workers have undergone proper manual handling training to learn correct lifting techniques and body posture.</li> <li>Conduct a pre-start safety briefing to discuss mential hazards, assigned tasks, and the correct use of tools/equipment.</li> <li>Clearly mark designated walkways and work reas to revent accidental collisions with equipment or materials.</li> <li>Provide appropriate person corotective equipment (PPE) for corkers, including gloves, safety shoes, and high sibility clothing.</li> <li>Implement a budge eye of for tools requiring heavy arting to reduce the risk of strains and initials.</li> <li>Encourage workers to take regular beart according to manufacturer guidelines, with safety reachs of poleted before use.</li> <li>Use my channel aids, such as trolleys or pallet jacks, to transport heavy materials acquipment with in possible.</li> <li>Stock of and materials at waist height to minimise bending and reaching, aducing or risk of manual handling injuries.</li> <li>In early label all equipment with its intended purpose, ensuring workers understand how each tool should be used to prevent misuse and accidents.</li> <li>Create an incident reporting system to encourage workers to report any near misses, equipment issues, or safety concerns immediately.</li> <li>Appoint a dedicated safety officer or supervisor to regularly monitor the worksite, providing guidance and enforcing compliance with WHS regulations.</li> <li>Conduct ongoing risk assessments throughout the project as conditions and potential hazards change, updating SWMS accordingly.</li> <li>Foster an open communication culture where workers feel comfortable discussing safety concerns without fear of retaliation or retribution, ensuring everyone plays their part in maintaining a safe work environment.</li> </ul> | 1L               |                    |
| 2. Site Assessment  | Tripping hazards, Inadequate communication                | 2M              | <ul> <li>Conduct a thorough site inspection before commencing work to identify and remove any potential tripping hazards such as debris, tools, or materials.</li> <li>Clearly mark out the work area using signage and barriers to prevent unauthorised access, reducing the risk of trips and ensuring clear communication of restricted areas.</li> <li>Provide adequate training and supervision for all workers, enabling them to effectively identify and manage trip hazards throughout the project.</li> </ul>  | 1L               |                    |



| JOB STEP               | POTENTIAL HAZARDS   | IR              | CONTROL MEASURES   | RR               | RESPONSIBLE PERSON |
|------------------------|---|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS    | HAZARDS THAT MAY ARISE  | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS   | RESIDUAL<br>RISK | NAME OF PERSON     |
|                        |   |                 | - Establish and maintain clear communication channels between all team members, including hand held radios or mobile phones if necessary.  |                  |                    |
|                        |   |                 | - Ensure workers wear appropriate personal protective equipment (PPE) such as high visibility clothing, sturdy footwear with nor p soles, and hard hats to minimise injury risks related to tripping hazards.                  |                  |                    |
|                        |   |                 | - Set up a designated walkway and commune to this can to all staff, encouraging the use of this route when moving throughout to reduce the risk of trips near the Chain Wire Fencing Machine.                                  |                  |                    |
|                        |   |                 | - Implement a buddy system of a fety spotter to enter a graduate communication and surveillance of partial hazards during the open and of the Chain Wire Fencing Machine.  |                  |                    |
|                        |   |                 | - Regularly in sect the conson of the york sea and machinery for any obstructions, it sign objects or debris and ay pose a tripping hazard and address according.  |                  |                    |
|                        |   |                 | - Imply less and entrope a clean-as-you-go policy to maintain an orderly and clutter-free worker comment minimising tripping hazards.  |                  |                    |
|                        |   |                 | Clearly, ocur, at and distribute safe work procedures and guidelines for the Chain Ferning Marine to relevant personnel, including instructions on addressing pote.  |                  |                    |
|                        |   |                 | Consider, ob rotation schedules to prevent mental and physical fatigue, which can it ease susceptibility to communication mistakes and tripping hazards.   |                  |                    |
|                        |   |                 | Schedule regular toolbox talks and safety meetings to discuss site-specific hazards, reinforcing the importance of maintaining clear communication and good housekeeping practices.  |                  |                    |
|                        |   |                 | - Utilise warning signs and hazard tape to highlight uneven surfaces, changes in levels, or unexpected obstacles that may be present in the work area.   |                  |                    |
|                        |   |                 | - Establish an emergency response plan and communicate this to all staff, ensuring an appropriate response is deployed in the event of an incident related to site assessment hazards or Chain Wire Fencing Machine operation. |                  |                    |
|                        |   |                 | - Cordon off the fencing area with highly visible safety barriers, ensuring adequate buffer zones are maintained between the chain wire fencing machine and other nearby construction activities.                              |                  |                    |
| 3. Set Up Fencing Area | Proximity to other construction activities, Exposed/sharp edges | 3H              | - Utilise appropriate signage to communicate the potential hazards present within the fenced area, such as "Construction Zone - Keep Out", "Sharp Edges", or "Watch for Moving Equipment".                                     | 2M               |                    |
|                        |   |                 | - Brief all personnel on site about the location and boundaries of the designated fencing area, so they maintain a safe distance during the installation process.  |                  |                    |



| JOB STEP                    | POTENTIAL HAZARDS                          | IR              | CONTROL MEASURES   | RR               | RESPONSIBLE PERSON |
|-----------------------------|--|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS         | HAZARDS THAT MAY ARISE                     | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS   | RESIDUAL<br>RISK | NAME OF PERSON     |
|                             |  |                 | - Regularly inspect the work area for new or evolving hazards, making adjustments to the layout and hazard control measures as necessary to ensure ongoing worker safety.  |                  |                    |
|                             |  |                 | - Incorporate defined walkways or access point within the fenced area to minimise the risk of accidental contact with sharp education or moving equipment.   |                  |                    |
|                             |  |                 | - Ensure that all workers wear appropriate Policy (Personal Protective Equipment), such as safety boots, gloves and eye protection and working in close proximity to the chain wire fencing machine and exposed/sharedges.   |                  |                    |
|                             |  |                 | - Provide training and familiars, ion sessions for an osciplerating the chain wire fencing machine, reinting said se guidelines and phasising the importance of clearing away are perist offcut, enerated during the fencing installation.                                       |                  |                    |
|                             |  |                 | - Limit the number of works engage in the cup process to minimise congestion in the designate fencing ea, established clear roles and responsibilities for each work enhancement of and improve overall safety outcomes.   |                  |                    |
|                             |  |                 | - Estat six regula ammunication channel—such as two-way radios, hand signals or alarn those sonnel responsible for directing the movement of the chain wire fering in thine or ng the setup process, ensuring that any sudden changes poten il haz. Is can be swiftly addressed. |                  |                    |
|                             | 1  |                 | - Sc. Yul the chain wire fencing work outside of peak construction hours, where ractical to further reduce the likelihood of interaction between the fencing activity of other hearby works or movements on site.  |                  |                    |
|                             | 5  |                 |  |                  |                    |
| 4. Earthworks<br>Excavation | Heavy machinery accidents, Trench collapse | 3H              |  | 1L               |                    |
|                             |  |                 |  |                  |                    |
|                             |  |                 |  |                  |                    |
|                             |  |                 |  |                  |                    |



| JOB STEP               | POTENTIAL HAZARDS  | IR              | CONTROL MEASURES   | RR               | RESPONSIBLE PERSON |
|------------------------|--|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS    | HAZARDS THAT MAY ARISE   | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK | NAME OF PERSON     |
|                        |  |                 |  |                  |                    |
| 5. Setting Fence Posts | Injury from post-installation equipment, Struck by falling posts | ЗН              |  | 2M               |                    |



| JOB STEP            | POTENTIAL HAZARDS               | IR              | CONTROL MEASURES   | RR               | RESPONSIBLE PERSON |
|---------------------|---------------------------------|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE          | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK | NAME OF PERSON     |
|                     |                                 |                 |  |                  |                    |
| 6. Concrete Mixing  | Chemical exposure, Overexertion | 2M              |  | 1L               |                    |



| JOB STEP                        | POTENTIAL HAZARDS                              | IR              | CONTROL MEASURES   | RR               | RESPONSIBLE PERSON |
|---------------------------------|--|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS             | HAZARDS THAT MAY ARISE                         | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK | NAME OF PERSON     |
|                                 |  |                 |  |                  |                    |
| 7. Install Chain Wire<br>Fabric | Cuts or lacerations, Entanglement in machinery | 2M              |  | 1L               |                    |



| JOB STEP                                | POTENTIAL HAZARDS                | IR              | CONTROL MEASURES   | RR               | RESPONSIBLE PERSON |
|---|----------------------------------|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS                     | HAZARDS THAT MAY ARISE           | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK | NAME OF PERSON     |
|   |                                  |                 |  |                  |                    |
| 8. Fastening &<br>Stretching Chain Wire | Repetitive strain, Snapped wires | 2M              |  | 1L               |                    |



| JOB STEP                         | POTENTIAL HAZARDS                   | IR              | CONTROL MEASURES   | RR               | RESPONSIBLE PERSON |
|----------------------------------|-------------------------------------|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS              | HAZARDS THAT MAY ARISE              | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK | NAME OF PERSON     |
|                                  |                                     |                 |  |                  |                    |
| 9. Attach Chain Wire to<br>Posts | Struck by hammer, Pinching injuries | 2M              |  | 1L               |                    |



| JOB STEP                       | POTENTIAL HAZARDS                            | IR              | CONTROL MEASURES   | RR               | RESPONSIBLE PERSON |
|--------------------------------|--|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS            | HAZARDS THAT MAY ARISE                       | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK | NAME OF PERSON     |
|                                |  |                 |  |                  |                    |
| 10. Install Top Rail & Bracing | Working at heights, Manual handling injuries | 3H              |  | 2M               |                    |



| JOB STEP                  | POTENTIAL HAZARDS                         | IR              | CONTROL MEASURES   | RR               | RESPONSIBLE PERSON |
|---------------------------|---|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS       | HAZARDS THAT MAY ARISE                    | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK | NAME OF PERSON     |
|                           |   |                 |  |                  |                    |
| 11. Fitting Gates & Locks | Heavy lifting, Pinching/crushing injuries | 2M              |  | 1L               |                    |



| JOB STEP                                  | POTENTIAL HAZARDS                         | IR           | CONTROL MEASURES   | RR | RESPONSIBLE PERSON     |
|---|---|--------------|--|----|------------------------|
| SPECIFIC WORK STEPS                       | HAZARDS THAT MAY ARISE                    | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS |    | PERSON  NAME OF PERSON |
| 12. Final Inspection &<br>Quality Control | Slips, trips, and falls, Improper PPE use | 2M           |  | 1L |                        |



| JOB STEP            | POTENTIAL HAZARDS                           | IR              | CONTROL MEASURES   | RR               | RESPONSIBLE PERSON |
|---------------------|---|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE                      | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK | NAME OF PERSON     |
|                     |   |                 |  |                  |                    |
| 13. Site Cleanup    | Trip hazards, Misplaced tools and equipment | 2M              |  | 1L               |                    |



| JOB STEP                         | POTENTIAL HAZARDS                                | IR              | CONTROL MEASURES   | RR               | RESPONSIBLE PERSON |
|----------------------------------|--|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS              | HAZARDS THAT MAY ARISE                           | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK | NAME OF PERSON     |
|                                  |  |                 |  |                  |                    |
| 14. Equipment & Tool Dismantling | Incorrect procedures followed, Pinching injuries | 2M              |  | 1L               |                    |



| JOB STEP            | POTENTIAL HAZARDS   | IR              | CONTROL MEASURES   | RR               | RESPONSIBLE PERSON |
|---------------------|---|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE  | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK | NAME OF PERSON     |
|                     |   |                 |  |                  |                    |
| 15. Waste Disposal  | Unsafe disposal of materials, Contact with hazardous substances | 2M              |  | 1L               |                    |



| JOB STEP                   | POTENTIAL HAZARDS                                  | IR              | CONTROL MEASURES   | RR               | RESPONSIBLE PERSON |
|----------------------------|--|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS        | HAZARDS THAT MAY ARISE                             | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK | NAME OF PERSON     |
|                            |  |                 |  |                  |                    |
| 16. Sign Off &<br>Handover | Incomplete documentation, Inadequate communication | 2M              |  | 1L               |                    |



| JOB STEP                   | POTENTIAL HAZARDS                                    | IR              | CONTROL MEASURES   | RR               | RESPONSIBLE PERSON |
|----------------------------|--|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS        | HAZARDS THAT MAY ARISE                               | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK | NAME OF PERSON     |
|                            |  |                 |  |                  |                    |
| 17. Machine<br>Maintenance | Unplanned release of stored energy, Wrong tools used | ЗН              |  | 2M               |                    |



|                         | PERSON |
|-------------------------|--------|
| THE RISKS RESIDUAL RISK |        |
|                         |        |
| 2M                      |        |
|                         | 2M     |



| JOB STEP                         | POTENTIAL HAZARDS                         | IR              | CONTROL MEASURES   | RR               | RESPONSIBLE PERSON     |
|----------------------------------|---|-----------------|--|------------------|------------------------|
| SPECIFIC WORK STEPS              | HAZARDS THAT MAY ARISE                    | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK | PERSON  NAME OF PERSON |
| 19. Training & Competence Checks | Unqualified personne., madequate training | 4A              |  | 3H               |                        |



| JOB STEP                         | POTENTIAL HAZARDS   | IR              | CONTROL MEASURES   | RR               | RESPONSIBLE PERSON |
|----------------------------------|---|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS              | HAZARDS THAT MAY ARISE  | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK | NAME OF PERSON     |
|                                  |   |                 |  |                  |                    |
| 20. Periodic Fence<br>Inspection | Machinery wear and tear, Environmental factors affecting fence in agrity. | 2M              |  | 1L               |                    |



| JOB STEP            | POTENTIAL HAZARDS      | IR              | CONTROL MEASURES   | RR | RESPONSIBLE PERSON |
|---------------------|------------------------|-----------------|--|----|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS |    | NAME OF PERSON     |
|                     |                        |                 |  |    |                    |
|                     |                        |                 |  |    |                    |



#### **EMERGENCY RESPONSE - CALL 000 FOR EMERGENCIES**

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

#### LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES. ANY STATE OF AT ARE NOT APPLICABLE.

#### **Queensland & Australian Capital Territory**

Work Health and Safety Act 2011

Work Health and Safety Regulations 2011

Legislation QLD: <a href="https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws">https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws</a> Codes of Practice QLD: <a href="https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice">https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws</a> Codes of Practice QLD: <a href="https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice">https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice</a>

Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations

Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice

#### **New South Wales**

Work Health and Safety Act 2011

Work Health and Safety Regulations 2017

Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislations/leg

Codes of Practice NSW: https://www.safework.nsw.gov.au/resource-library/lis > odes-or racti

#### **Northern Territory**

Work Health and Safety (National Uniform Legislation) Act 2011

Work Health and Safety (National Uniform Legislation) Regulation 2011

Legislation NT: https://worksafe.nt.gov.au/laws-and-compliance/worksafe.nt.gov.au/laws-and-compl

Codes of Practice NT: https://worksafe.nt.gov.au/5

#### South Australia

Work Health and Safety Act 2012 (SA)

Work Health and Safety Regulations 2012 (SA)

Legislation for SA: <a href="https://www.safework.sa.gov.au/resources/legislation">https://www.safework.sa.gov.au/resources/legislation</a>

Codes of Practice for SA: https://www.safework.sa.gov.au/work\_aces/codes-of-practice#COPs

#### Tasmania

Work Health and Safety Act 2012

Work Health and Safety (Transitional and Consequential Provisions) Act 2012

Work Health and Safety Regulations 2012

Work Health and Safety (Transitional) Regulations 2012

Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations

Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.

#### Victoria

Occupational Health all Safety Act 34

Occ. ational Health and afety gulations 2017

Legis on VIC: https://www.xsafe.vic.gov.au/occupational-health-and-safety-act-and-

<u>qulat.</u>

des on actice VI autros://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice

#### Western Australia

Work Health and Safety Act 2020

Work Health and Safety Regulations 2022

Legislation Western Australia: <a href="https://www.commerce.wa.gov.au/worksafe/legislation">https://www.commerce.wa.gov.au/worksafe/legislation</a> Codes of Practice WA: <a href="https://www.commerce.wa.gov.au/worksafe/codes-practice">https://www.commerce.wa.gov.au/worksafe/codes-practice</a>

#### Safe Work Australia Links

Law and Regulation (All States): https://www.safeworkaustralia.gov.au/law-and-regulation Model Codes of Practice: https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice

#### **Model Codes of Practice**

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work



#### SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

| Tollow arry sale work instruct   |   |  |   |   |   |   |                    |
|--|---|--|---|---|---|---|--------------------|
| Worker Name  | Pos   | sition   | Signature   | Date  | Time  | Sup   | pervisor           |
|  |   |  |   | Date:   |   |   |                    |
|  |   |  |   | _   |   |   |                    |
|  |   |  |   | Date  |   |   |                    |
|  |   |  |   | l te:   |   |   |                    |
|  |   |  | AV  | Date:   |   |   |                    |
|  |   |  |   | Date:   |   |   |                    |
|  |   |  |   | Date:   |   |   |                    |
|  |   |  |   | Date:   |   |   |                    |
|  |   | SAF WC A 5   | THUD STATEMENT  | MONITORING AND  | REVIEW  |   |                    |
| The SWMS must be review revised if necessary) if relevations consultation with workers (in of the SWMS and their healt workplace.  When the SWMS has been radvised that a revision has been who will need to change a weight | ant control measu<br>cluding contractors and sub<br>h and safety representatives<br>revised the PCBU must ensi-<br>teen made and how they car | contract s) who may be affi<br>s who re esented that work<br>are that all persons involved<br>an access the revised SWMS   | hould be carried out in ected by the operation group at the  with the work are so including all persons | effective in reducing the person responsible for r employ a multi-faceted at 1. Spot Checks 2. Consultation | onitored regularly for the risk of incidents, keeping to nonitoring the effectiveness approach which includes but the workers, contractors as on a continual basis. | he workplace safe for a<br>s of the Safe Work Metl<br>ut is not limited to: | all personnel. The |
| a way that will enable them t<br>will be involved in the work n<br>them to understand and impl   | o implement their duties cornust be provided with the re  | An approach of continuous improvement, promptly recording inconsistencies or deficiencies, followed up by immediate corrective action and consultation with all relevant personnel ensure that the PCBU is consistently developing ever-improving systems of safe work principles. |   |   |   |   |                    |
| REVIEW NUMBER  | □ 1   | □ 2  | □ 3   | □ 4   | □ 5   | □ 6   | □ 7                |
| NAME   |   |  |   |   |   |   |                    |
| INITIALS   |   |  |   |   |   |   |                    |
| DATE   |   |  |   |   |   |   |                    |

Version 2.5 Authorised by Review # Date of Issue: Review Date: 25



#### SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

| ITEMS WHICH MUST BE INCLUDED IN THE SWMS   | COMPLETED | TO BE DONE     | COMMENTS |  |
|--|-----------|----------------|----------|--|
|  |           |                |          |  |
| The company details have been entered, including the project name and address.   |           |                |          |  |
| Names and signatures of all relevant personnel consulted during the development of the SWMS.   |           | D )            |          |  |
| Name, signature, position and date signed of the person approving the SWMS.  |           |                |          |  |
| Specific personnel and qualifications, experience is noted in the SWMS.  |           |                |          |  |
| Provides a step-by-step process of tasks required to carry out the activity or task.   |           |                |          |  |
| Adequate risk assessment of any identified hazards has been completed.   |           |                |          |  |
| Foreseeable hazards are identified and documented for each step.   |           |                |          |  |
| Any hazards listed in any site risk assessments have been added to the SWN   |           |                |          |  |
| SWMS initial risk (IR) column as well as residual risk (RR) columns completed.   |           |                |          |  |
| Check control measures added to the SWMS are the most effections.  |           |                |          |  |
| Responsible person is assigned and listed on the SWMS for the imperent person is assigned and listed on the SWMS for the imperent person is assigned and listed on the SWMS for the imperent person is assigned and listed on the SWMS for the imperent person is assigned and listed on the SWMS for the imperent person is assigned and listed on the SWMS for the imperent person is assigned and listed on the SWMS for the imperent person is assigned and listed on the SWMS for the imperent person is assigned and listed on the SWMS for the imperent person is assigned and listed on the SWMS for the imperent person is assigned and listed on the SWMS for the imperent person is assigned and listed on the SWMS for the imperent person is assigned and listed on the SWMS for the imperent person is assigned and listed on the SWMS for the imperent person is assigned and listed on the SWMS for the imperent person is assigned and listed on the SWMS for the imperent person is assigned and listed on the SWMS for the imperent person is a superior of the SWMS for the imperent person is a superior of the SWMS for the Imperent person is a superior of the SWMS for the Imperent person is a superior of the Im |           |                |          |  |
| Permit requirements specified, such as Hot Work, Electrical Work, Variat Heights etc.  |           |                |          |  |
| SWMS identifies plant and equipment to be u d.   |           |                |          |  |
| Details of inspection checks required for any equipment listed at noted on the SWMS.   |           |                |          |  |
| Describes any mandatory qualifications, experience raining skills required to perform the work.  |           |                |          |  |
| Applicable personal protective equipment is selected on the SWMS.  |           |                |          |  |
| Lists any required permits or licenses.  |           |                |          |  |
| Reflects and documents any legislative references and/or Australian Standards.   |           |                |          |  |
| Identifies any hazardous substances used with specific control measures in line with any SDS.  |           |                |          |  |
|  |           |                |          |  |
| REVIEWED BY  | DATE R    | EVIEWED        |          |  |
| SIGNATURE  | DATE CO   | DATE COMPLETED |          |  |

Version 2.5 Authorised by Review # Date of Issue: Review Date: 26