

Door And Window Instal	lation SAFE WORK METH	OD STATEMENT (SWMS)	
TASK OF	R ACTIVITY: Door And Window Ir	nstallation	
Business Name: [Company Name]		ABN: [ABN]	SWMS#
Business Address: [Company Address]			
Contact Person:	Phone: [Phone]	E fil:	
THIS SAFE WORK METHOD	STATEMENT IS APPROVED BY	THE P. OF THE PROJECT	
Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts.	cting a business or undertaking (I SU) is	required to ture at a safe work method s	statement (SWMS) is prepared before
Full Name:			
Signature:		Title:	Date:
Details of the person(s) responsible for ensuring implementation, monitoring	compliance of the SWMS well as review	s and modifications of the SWMS.	
Full Name:		Title:	Phone:
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS WMS. ST HAVE THE FOLLOWING COMMUNICATED		LL RELEVANT PERSONNEL WHO HAVE B PMENT AND APPROVAL OF THIS SWMS	EEN CONSULTED AND
Safety meetings or toolbox talks will be sched ed in accordance with agislative requirements to first identify any site hazards, conditions those hazards and then to further take steps to either the conditions of the conditions are or conditions.	NAME	SIGNATURE	DATE
If an incident or a near miss occurs, all work must steam ately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.			
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.			
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.			



Client: SCOPE OF WORKS Project Name: Project Address: Project Manager: Pr									
Client:						SCOPE OF WORKS			
Project Name:					n of the specific work being	carried out (otherwise			
Project Address:					known as cope of works).				
Project Manager:									
Contact Phone:									
Project Manager Sig	gnature:								
Date SWMS supplie	ed to Project Manager:								
		ANY HIGH	RISK CON PUCT	N' JRK BEING	CARRIED OUT				
☐ involves a risk of a p	erson falling more than 2 n	neters.		is carried out on or near pressurised gas mains or piping.					
is carried out on a te	lecommunication tower.		$H \cap H$	is carried out on	☐ is carried out on or near chemical, fuel or refrigerant lines.				
☐ involves demolition of	of an element of a structure	that is load-be		☐ is carried out on or near energised electrical installations or services.					
☐ involves demolition of	of an element related to the	e physical integril of a str	3	is carried out in an area that may have a contaminated or flammable atmosphere.					
☐ involves, or is likely t	o involve, disturbing a es	stos.		involves tilt-up or precast concrete.					
☐ involves structural al	teration or repair that re	mporal, upp to p	prevent collapse.	☐ is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor.					
is carried out in or ne	ear a confined space.			is carried out in an area of a workplace where there is any movement of powered mobile plant.					
☐ is carried out in/near	a shaft or trench deeper th	nan 1.5m or tunnel involvir	ng use of explosives.	is carried out in	areas with artificial extremes of	f temperature.			
is carried out in or ne	ear water or other liquid tha	at involves a risk of drowning	ng.	involves diving v	vork.				
		ANY H	IGH-RISK MACHINER	RY OR EQUIPMEN	NT NEARBY				
☐ Forklift	☐ Crane/s	☐ Hoist/s	☐ Excavator	☐ Backhoe/Loader	Boom Lift	□ EWP	☐ Genie Lift		
☐ Trencher	☐ Drilling Rig	Trucks	Formwork	☐ Bobcat	☐ Flammable Gas	☐ Fuel	☐ Dozer		
☐ High Voltage	☐ Mulcher	☐ Tilt-up Panels	Roller	☐ Scissor Lift	☐ Tractor	☐ Other -			





FOOT HAND **HEAD HEARING** SPIRATORY FACE HIGH-VIS **PROTECTIVE** FALL SUN HAIR/JEWELLERY CLOTHING **PROTECTION PROTECTION** PROTECTION **PROTECTION** PROTE DTECTION **PROTECTION** CLOTHING **PROTECTION PROTECTION SECURED**

Select me appropriate PPE above suitable for the equipment used or the job task being performed (if applicable).

Note: A SWMS must be reviewed regularly to make sure it remains effective. A SWMS must be reviewed (and revised if necessary) if relevant control measures are revised. The review process should be carried out in consultation with workers (including contractors and subcontractors) who may be affected by the operation of the SWMS and their health and safety representatives who represented that work group at the workplace.

When a SWMS has been revised, the person conducting a business or undertaking must ensure all:

- 1. persons involved in the work are advised that a revision has been made and how they can access the revised SWMS;
- 2. persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS: and.
- 3. workers that will be involved in the work are provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON			
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON			
			- Training and Induction: Ensure all personnel involved in the door and window installation process are properly trained and have a prough understanding of safe manual handling techniques and general workplan practices.					
			- Use correct lifting techniques: Workers sky, a be instructed on how to safely lift, carry, and position heavy doors and window, using est a shed manual handling procedures. This may include bending knees wile by a grow seeking assistance when needed. - Protective clothing and foots ar: Workers should sear and priate personal.					
			protective equipment (PPE) such as steel-toe boots, and high-visibility vests to minimise potential, and high-visibility vests to minimise potential, and high-visibility vests.					
			- Conduct risk assessment A haza I dentific on and Risk Assessment (HIRA) should be called a dout for each installation of identify specific risks and develop suitable control pasure for effectively anaging those risks.					
			- Kee, we areas ear: Maintain clean and organised installation zones by keeping pathways are of our is, cords, tools, and materials to prevent unintended tripping hazard. It tilise technical aids: Whenever possible, use equipment such as trolleys, carts, or sing a vices a reduce physical strain and minimise the risk of injury due to manual aid dling tasks.					
1. Preparation	Manual handling injuries, Slips, trips a b falls					aplement a buddy system: Encourage workers to assist one another when purming tasks that involve heavy lifting or awkward positions, such as maneuvering large doors and windows.	1L	
			- Plan and organise work tasks efficiently: Schedule deliveries of doors and windows at optimal times to minimise obstruction and ensure adequate space is available for installation procedures.					
			- Step prevention strategies: Remove obstacles, provide boundary marking tape, and install warning signage to alert personnel of ongoing installation processes and help mitigate slips, trips, and falls in the workspace.					
			- Encourage regular breaks: Allow installation crews to take short breaks and stretch periodically to prevent muscle fatigue and strain, which can contribute to manual handling injuries.					
			- Proper storage of materials: Store doors, windows, and other installation materials in designated areas, ensuring they are properly supported and secured to prevent movement or dislodgment while not in use.					
		- Ladder safety: Ensure w such as maintaining a 3-p	- Ladder safety: Ensure workers using ladders follow established safety guidelines, such as maintaining a 3-point contact, positioning ladders securely, and choosing the right type of ladder for each individual task.					



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			- Conduct regular safety meetings: Continuously assess work processes and discuss methods on improving workplace safety while actively engaging all personnel in establishing and reinforcing safe work procedures.		
2. Delivery & Unloading	Falling objects, Traffic hazards	2M	 Properly secure materials during delivery assuring they are tightly strapped and covered to prevent any falling objects. Assign a designated unloading zone, which is any marked and away from high traffic areas, pedestrians, and other workers. Implement a traffic management plan with well-destack seas and clear signage for vehicles and worker of fived in the delivery and unloading process. Ensure that a personnel molved the deliver and unloading process have undergone an opriate training and he time sary licenses or qualifications. Malthouse of his visitory clothing and safety gear such as hard hats and steel-toed in a during qualivery and unloading process. Inspellan suipment used in the process (e.g., cranes, forklifts) to ensure they are in good tork to order for to commencing work and conduct regular maintenance shecks. Use a a sam approach with clear communication between drivers, spotters, and inload on coordinate safe movement and positioning of materials. In the action of a solution of materials. In the action of molecular safe movement and positioning of materials. In the action of molecular safe movement and positioning of materials. In the properties of molecular safe movement and positioning of materials. In the properties of the properties. In the properties of the p	1L	
3. Window/Door Framing	Tool-related injuries, Incorrect measurements	2M	- Provide all workers with proper training on the use of tools and equipment required for window/door framing, including correct handling, maintenance, and storage. - Ensure that only qualified and licensed personnel are allowed to operate power tools and machinery involved in the framing process.	1L	
			 Regularly inspect and maintain all tools and equipment used in window/door framing tasks, ensuring they are in good working condition and free from any defects that could cause injuries or accidents. 		

Review Date:



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			 Establish clear communication channels among team members to communicate measurements accurately, minimising the risk of errors resulting from misheard or misunderstood instructions. 		
			- Implement double-checking protocols for mean ements and calculations to further minimise the likelihood of mistakes and product costly rework.		
			- Create a designated work zone surrounding e win undoor framing area, marked with visible signage, to remind workers to be converged when approaching it and help prevent unauthorised access		
			- Require workers to wear apportiate personal proceeding framing transing framing tasks to minimise the risk anjury on she tools or dropped objects.		
			- Facilitate the use of ergor unic hand ols surgned to reduce strain and lessen the chance of repet ve motifyinjuries over the chance of the chance		
			- App to a many candling techniques when lifting and positioning heavy window and do not nest, up a mechanical aids where necessary to alleviate potential risks of must a sun g or close injuries.		
			Develor an energency response plan that includes first aid provisions and procedure to be allowed in case of an injury sustained during window/door framing task.		
			Schedul regular breaks for workers engaged in window/door framing activities to expression alert and focused on the task at hand, reducing the likelihood of fature-related errors or incidents.		
4. Insulation	Exposure to hazardous materials, Inadequate ventilation	3H		2M	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
5. Installation	Incorrect handling techniques, Falls from height	3H		2M	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	PERSON NAME OF PERSON
6. Glass Handling	Glass cuts, Lifting injuries	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
7. Waterproofing	Slippery surfaces, Chemical exposure			1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
8. Plasterboard Installation	Material falling on ways 15, 20 at inhalation	ori		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
9. Painting & Finishing	Fumes, skin contact with resint, Eye injuries			1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
10. Clean-up	Sharp objects injuries Managery of injuries	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
11. Waste Disposal	Improper waste de osal, Nearby hazards	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
12. Final Inspection	Falls from height, proper equipment usage	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
	5				



EMERGENCY RESPONSE - CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES. ANY STATE OF AT ARE NOT APPLICABLE.

Queensland & Australian Capital Territory

Work Health and Safety Act 2011

Work Health and Safety Regulations 2011

Legislation QLD: https://www.worksafe.gld.gov.au/laws-and-compliance/work-health-and-safety-laws

Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations

Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice

New South Wales

Work Health and Safety Act 2011

Work Health and Safety Regulations 2017

Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislati

Codes of Practice NSW: https://www.safework.nsw.gov.au/resource-library/lis codes-of ractice NSW: https://www.safework.nsw.gov.au/resource-library/lis codes-of-ractice NSW

Northern Territory

Work Health and Safety (National Uniform Legislation) Act 2011

Work Health and Safety (National Uniform Legislation) Regulation 201

Legislation NT: https://worksafe.nt.gov.au/laws-and-compliance/wo_place-

Codes of Practice NT: https://worksafe.nt.gov.au/5

South Australia

Work Health and Safety Act 2012 (SA)

Work Health and Safety Regulations 2012 (SA)

Legislation for SA: https://www.safework.sa.gov.au/resources/legislation

Codes of Practice for SA: https://www.safework.sa.gov.au/work_aces/codes-of-practice#COPs

Tasmania

Work Health and Safety Act 2012

Work Health and Safety (Transitional and Consequential Provisions) Act 2012

Work Health and Safety Regulations 2012

Work Health and Safety (Transitional) Regulations 2012

Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations

Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.

Victoria

Occupational Health at Safety Act 34

Occupational Health and Infety gulations 2017

Legis on VIC: https://www.aksafe.vic.gov.au/occupational-health-and-safety-act-and-

<u>qulat.</u>

des on actice VIC attps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice

Western Australia

Work Health and Safety Act 2020

Work Health and Safety Regulations 2022

Legislation Western Australia: https://www.commerce.wa.gov.au/worksafe/legislation Codes of Practice WA: https://www.commerce.wa.gov.au/worksafe/codes-practice

Safe Work Australia Links

Law and Regulation (All States): https://www.safeworkaustralia.gov.au/law-and-regulation Model Codes of Practice: https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice

Model Codes of Practice

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work



SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Pos	sition	Signature	Date	Time	Sup	pervisor
				Date:			
				l te:			
			AV	Date:			
				Date:			
				Date:			
				Date:			
		SAF WC A	STATEMENT	MONITORING AND	REVIEW		
The SWMS must be reviewed regularly to the ke sure it remains effective and must be reviewed (and revised if necessary) if relevant control measurements and subcontractors are subcontractors and subcontractors and subcontractors) who may be affected by the operation of the SWMS and their health and safety representatives who resented that work group at the workplace. When the SWMS has been revised the PCBU must ensure that all persons involved with the work are advised that a revision has been made and how they can access the revised SWMS, including all persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.			The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to: 1. Spot Checks. 2. Consultation with workers, contractors and sub-contractors. 3. Internal audits on a continual basis. An approach of continuous improvement, promptly recording inconsistencies or deficiencies, followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.				
REVIEW NUMBER	<u> </u>	□ 2	□ 3	□ 4	□ 5	□ 6	□ 7
NAME							
INITIALS							
DATE							



SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.						
ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	TO BE DONE	COMMENTS			
The company details have been entered, including the project name and address.						
Names and signatures of all relevant personnel consulted during the development of the SWMS.		D				
Name, signature, position and date signed of the person approving the SWMS.						
Specific personnel and qualifications, experience is noted in the SWMS.	P					
Provides a step-by-step process of tasks required to carry out the activity or task.						
Adequate risk assessment of any identified hazards has been completed.						
Foreseeable hazards are identified and documented for each step.						
Any hazards listed in any site risk assessments have been added to the SWN						
SWMS initial risk (IR) column as well as residual risk (RR) columns completed.						
Check control measures added to the SWMS are the most effecting sections.						
Responsible person is assigned and listed on the SWMS for the imperent person is assigned and listed on the SWMS for the imperent person is assigned and listed on the SWMS for the imperent person is assigned and listed on the SWMS for the imperent person is assigned and listed on the SWMS for the imperent person is assigned and listed on the SWMS for the imperent person is assigned and listed on the SWMS for the imperent person is assigned and listed on the SWMS for the imperent person is assigned and listed on the SWMS for the imperent person is assigned and listed on the SWMS for the imperent person is assigned and listed on the SWMS for the imperent person person is assigned and listed on the SWMS for the imperent person per						
Permit requirements specified, such as Hot Work, Electrical Work, Vocat Heights etc.						
SWMS identifies plant and equipment to be u 1.						
Details of inspection checks required for any equipment listed are noted on the SWMS.						
Describes any mandatory qualifications, experience raining skills required to perform the work.						
Applicable personal protective equipment is selected on the SWMS.						
Lists any required permits or licenses.						
Reflects and documents any legislative references and/or Australian Standards.						
Identifies any hazardous substances used with specific control measures in line with any SDS.						
REVIEWED BY	DATE R	EVIEWED				
SIGNATURE	DATE CO	MPLETED				