

Hand Trolley   SAFE WORK METHOD STATEMENT (SWMS)								
· · · · · · · · · · · · · · · · · · ·	TASK OR ACTIVITY: Hand Trolle	У						
Business Name: [Company Name]		ABN: [ABN]	SWMS#					
Business Address: [Company Address]								
Contact Person:	Phone: [Phone]	E gil:						
THIS SAFE WORK METHOD	STATEMENT IS APPROVED BY	THE PLOF THE PROJECT						
Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts.	cting a business or undertaking (N BU) is	required to thurs out a safe work method s	tatement (SWMS) is prepared before					
Full Name:								
Signature:		Title:	Date:					
Details of the person(s) responsible for ensuring implementation, monitoring a to	compliance of the SWMS, well as review	vs and modifications of the SWMS.						
Full Name:		Title:	Phone:					
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS WMS. ST HAVE THE FOLLOWING COMMUNICATED	N TE AND DATED SIGNATURE OF A	ALL RELEVANT PERSONNEL WHO HAVE B OPMENT AND APPROVAL OF THIS SWMS	EEN CONSULTED AND					
Safety meetings or toolbox talks will be sched ed in accordance with egislative requirements to first identify any site hazards, conduct or unical those hazards and then to further take steps to either constant or constant and hazard.	NAME	SIGNATURE	DATE					
If an incident or a near miss occurs, all work must structure unately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.								
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.								
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.								



		C	LIENT OR PRINCIPAL	CONTRACTOR DE	TAILS				
Client:					SCOPE OF WORKS				
Project Name:							k being carried out (otherwise		
Project Address:				ŀ	known as cope of works).				
Project Manager	:								
Contact Phone:									
Project Manager	Signature:								
Date SWMS sup	plied to Project Manag	er:							
		ANY HIG	H-RISK CON TUCT		ARRIED OUT				
involves a risk of	a person falling more than	2 meters.		is carried out on of	near pressurised gas main	s or piping.			
is carried out on	a telecommunication tower			☐ is carried out on or near chemical, fuel or refrigerant lines.					
involves demoliti	on of an element of a struct	ure that is load-be		is carried out on or near energised electrical installations or services.					
involves demoliti	on of an element related to	the physical integrit of a st	ir e,	is carried out in an area that may have a contaminated or flammable atmosphere.					
involves, or is like	ely to involve, disturbing a	estos.		involves tilt-up or precast concrete.					
involves structura	al alteration or repair that re	mporan upp to	prevent collapse.	is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor.					
☐ is carried out in c	or near a confined space.			is carried out in an area of a workplace where there is any movement of powered mobile plant.					
☐ is carried out in/r	near a shaft or trench deepe	er than 1.5m or tunnel involv	ving use of explosives.	is carried out in areas with artificial extremes of temperature.					
☐ is carried out in c	or near water or other liquid	that involves a risk of drown	ning.	involves diving wo	rk.				
		ANY	HIGH-RISK MACHINE	RY OR EQUIPMENT	NEARBY				
Forklift	Crane/s	☐ Hoist/s	Excavator	Backhoe/Loader	Boom Lift	EWP	Genie Lift		
Trencher	Drilling Rig	Trucks		Bobcat	E Flammable Gas	Fuel	Dozer		
High Voltage	Mulcher	Tilt-up Panels	Roller	Scissor Lift	Tractor	Other -			







JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			- Conduct a thorough site inspection before commencing work to identify and remove potential trip hazards in the area where the triad trolley will be used.		
			- Ensure that the floor surface is clean, dry, approven to minimise any risk of slipping or losing control of the hand trolley while it's ang used.		
			- Provide clear and visible signage to mark its ricted seas, obstacles, or uneven surfaces that may pose risks to those using the unorder trolley.		
			- Train all staff on proper main all handling technic, is and error asise the importance of maintaining control posture when lifture proving, or pulling loads using the hand trollor		
	Trip hazards, Incorrect manual handling		- Ensure that the weight of the load, the handholdey does not exceed its specified maximum call city to prevent any accents used by overloading.		
1. Preparation	techniques	2М	- Encropinge we cars to conform warm-by exercises and stretching routines before starting or shifts a using on key muscle groups that will be utilised during the use of the carbon colley.	1L	
			- Supply apply riate proponal protective equipment (PPE) such as safety footwear and high visible vests or minimise the risk of injury during hand trolley operations.		
			- In solution team loans techniques for heavy or bulky items to distribute the weight more stand reduce the strain on individual workers using the hand trolley.		
			stablish designated paths and walkways for hand trolleys, ensuring they are free free obstructions and allow operators to maintain visibility of their surroundings at all times.		
	G		- Regularly inspect and maintain hand trolleys to ensure they are in good working order, with special attention given to checking the wheels, brakes, and overall stability of the unit to minimise the risk of accidents or injuries.		
			- Develop and implement a regular equipment inspection schedule in collaboration with the manufacturer's guidelines.		
			<ul> <li>Ensure that all employees are trained on the correct use, maintenance, and storage of hand trolleys as part of their induction and ongoing professional development.</li> </ul>		
2. Equipment inspection	Damaged equipment, Inadequate	ЗH	- Provide inspection checklists for workers to easily report any defects, wear or damage detected during routine equipment assessment.	1L	
	maintenance		<ul> <li>Designate a dedicated maintenance team member responsible for conducting regular inspections, identifying and addressing any issues related to damaged or poorly maintained equipment.</li> </ul>		
			- Establish designated areas for storing hand trolleys when not in use, keeping them protected from potential environmental or physical hazards.		
			- Encourage workers to report damaged or defective equipment immediately, and provide a clear process for how these incidents will be handled and resolved.		



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			- Implement a tagging system to identify equipment that has been checked and is ready for use, as well as equipment that requires repair or replacement.		
			- Regularly consult with equipment suppliers to remainformed about any updates or changes to recommended maintenance practices, using this information to adjust your organisation's own policies according		
			- Prioritise prompt repair or replacement of our aged any appendix to minimise downtime and reduce the risk of further incide. In a find from inadequate maintenance.		
			- Conduct thorough investigations into any incidents, we have a damaged or inadequately maintain computing it, seeking to better understand possible contributing factor and mong appropriate improvements to prevent future occurrences		
			- Review and we late your enganisation, use of trolley maintenance procedures period of ty, ensured by remain in line with best practice as well as legislative and industry and and		
			- Reinforce of proper equipment care and attention among staff through sgue poolbox. Its, ensuring an ongoing awareness of the potential risks sociated with a maged or poorly maintained hand trolleys.		
	7		- Un, o sonal protective equipment (PPE), such as gloves and steel-toed boots, o minim, potential injuries stemming from the handling or transportation of heavy sharp objects.		
			- A opt a proactive approach to workplace safety by establishing a hazard reporting system that encourages employees to identify and report potential risks, with the ultimate goal of constantly improving the work environment.		
			- Ensure workers are trained and competent in identifying the maximum load capacity for each specific hand trolley used at the workplace.		
			- Place a visible, clear and legible label on the hand trolley indicating the maximum load capacity to prevent overloading.		
			- Implement a pre-inspection routine to assess the weight of items prior to loading them onto the hand trolley.		
3. Trolley loading	Overloading, Unbalanced items	2M	- Organise heavy and bulky items towards the bottom of the trolley distribution to help balance loads evenly across the trolley.	1L	
			- Use additional support, such as straps or securing materials, to keep unbalanced items stable during transportation.		
			- Encourage workers to lift and lower loads carefully and smoothly to avoid abrupt movements causing items to shift or become unbalanced.		
			- Keep designated pathways clear from clutter and obstruction to ensure smooth maneuvering and minimise the risk of tipping or unbalanced loads.		



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			- Establish a two-person lift protocol for particularly heavy or unbalanced items, ensuring that ample assistance is provided when needed.		
			- Encourage workers to take regular breaks and react tasks to prevent fatigue, which could lead to improper handling of the breatrolley and increased risk of hazards.		
			- Provide personal protective equipment (PP, such a gioves, back supports, or steel-toed footwear to protect workers when have a crolleys and loads.		
			- Display clear signage to identify hazards in area. With decreming weight tolerances or potential falling on cts.		
			- Implement regular static spance specks to ensure the proper functioning of the hand trolley's species and spility is ures, reducing the risk of unbalanced loads.		
			- Promote concunication along teal and evers to address any concerns regarding overlaining or conclusion along a cooperative approach to managing risks.		
		- Compute the suppany's internal reporting procedure for any observed hand trolley-reated azards incidents to ensure prompt corrective actions are taken to maintain safe orking environment.			
4. Manoeuvring	Collisions, Striking pedestrians	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
	7				
5. Navigating slopes	Loss of control, Runaway	ЗH		2M	

Version 2.5



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
6. Unloading	Falling items, Crush inju	ЗH		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
7. Navigation around obstacles	Collision with obstacles, Sudden sto	2М		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
8. Crossing busy areas       Collisions with perue, Delay in operations	ЗН		1L		



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
9. Parking the trolley	Improper parking, Obstructing pathways	1L		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
10. Maintenance & repair	Tools injury, Entrapment	2M		1L	

Version 2.5

Date of Issue:



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
11. Equipment storage	Cluttered storage usea, Falling objects	2M		1L	

Version 2.5

Date of Issue:





JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
12. Incident reporting	Incorrect reporting, Lack of communication	TL		1L	

Version 2.5



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON			
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON			
	S							



#### **EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES**

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE F	REFERENCES
RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEG	SISLATIVE REFERENCES ANY STATE AT ARE NOT APPLICABLE
Queensland & Australian Capital Territory Work Health and Safety Act 2011 Work Health and Safety Regulations 2011 Legislation QLD: <u>https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws</u> Codes of Practice QLD: <u>https://www.worksafe.gld.gov.au/laws-and-compliance/codes-of-practice</u> Legislation ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice</u> Codes of Practice ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice</u>	Victoria Octupational Health an Safety Actual Octupational Health and professions 2017 Legistron VIC: <u>https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and- gulatupes</u> Codes of mactice VIC <u>attps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice</u>
New South Wales         Work Health and Safety Act 2011         Work Health and Safety Regulations 2017         Legislation NSW: <a href="https://www.safework.nsw.gov.au/legal-obligations/legislatic">https://www.safework.nsw.gov.au/legal-obligations/legislatic</a> Codes of Practice NSW: <a href="https://www.safework.nsw.gov.au/resource-library/lis">https://www.safework.nsw.gov.au/legal-obligations/legislatic</a>	Western Australia Work Health and Safety Act 2020 Work Health and Safety Regulations 2022 Legislation Western Australia: <u>https://www.commerce.wa.gov.au/worksafe/legislation</u> Codes of Practice WA: <u>https://www.commerce.wa.gov.au/worksafe/codes-practice</u>
Northern Territory Work Health and Safety (National Uniform Legislation) Act 2011 Work Health and Safety (National Uniform Legislation) Regulation, 201, Legislation NT: <u>https://worksafe.nt.gov.au/laws-and-compliance/worplace-serve-laws</u> Codes of Practice NT: <u>https://worksafe.nt.gov.au/fecture-serve-laws</u>	Safe Work Australia Links Law and Regulation (All States): https://www.safeworkaustralia.gov.au/law-and-regulation Model Codes of Practice: https://www.safeworkaustralia.gov.au/resources-publications/model- codes-of-practice
South Australia Work Health and Safety Act 2012 (SA) Work Health and Safety Regulations 2012 (SA) Legislation for SA: <u>https://www.safework.sa.gov.au/resources/legulation</u> Codes of Practice for SA: <u>https://www.safework.sa.gov.au/work_saces/codes-of-practice#COPs</u>	Model Codes of Practice         - Managing noise and preventing hearing loss at work         - Confined spaces         - Labelling of workplace hazardous chemicals         - Managing risks of hazardous chemicals in the workplace         - Welding processes
Tasmania         Work Health and Safety Act 2012         Work Health and Safety (Transitional and Consequential Provisions) Act 2012         Work Health and Safety Regulations 2012         Work Health and Safety (Transitional) Regulations 2012         Legislation for TAS: <a href="https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations">https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations</a> Codes of Practice for TAS: <a href="https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice">https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations</a>	<ul> <li>First aid in the workplace</li> <li>Managing the risk of falls at workplaces</li> <li>Hazardous manual tasks</li> <li>Managing the risk of falls in housing construction</li> <li>Managing electrical risks in the workplace</li> <li>Demolition work</li> <li>Excavation work</li> </ul>
Details of permits, licenses or access required by regulatory bodies (add or delete as required): Permits from local council Authorisation to commence work	<ul> <li>Work health and safety consultation, cooperation and coordination</li> <li>Managing the work environment and facilities</li> <li>How to manage work health and safety risks</li> <li>Managing risks of plant in the workplace</li> <li>Construction work</li> </ul>

- Any required documents.



#### SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Position	Signature	Date	Time	Supervisor
			Date:		
			Datu		
			ı te:		
			Date:		

#### SAF WC A STHUD STATEMENT MONITORING AND REVIEW

The SWMS must be reviewed regularly to review the sure it remains revised if necessary) if relevant control measure are a conconsultation with workers (including contractors are subcontract of the SWMS and their health and safety representatives who re workplace.

ke sure it remains effective and must be reviewed (and acception of the process should be carried out in s any subcontract s) who may be affected by the operation esentatives who recented that work group at the

When the SWMS has been revised the PCBU must ensure that all persons involved with the work are advised that a revision has been made and how they can access the revised SWMS, including all persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

- 1. Spot Checks.
- 2. Consultation with workers, contractors and sub-contractors.
- 3. Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies, followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	1	2	3	4	5	6	7
NAME							
INITIALS							
DATE							



#### SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	TO BE DONE	COMMENTS
The company details have been entered, including the project name and address.			
Names and signatures of all relevant personnel consulted during the development of the SWMS.		P	
Name, signature, position and date signed of the person approving the SWMS.			
Specific personnel and qualifications, experience is noted in the SWMS.			
Provides a step-by-step process of tasks required to carry out the activity or task.			
Adequate risk assessment of any identified hazards has been completed.			
Foreseeable hazards are identified and documented for each step.			
Any hazards listed in any site risk assessments have been added to the SWN			
SWMS initial risk (IR) column as well as residual risk (RR) columns completed.			
Check control measures added to the SWMS are the most effecting sections.			
Responsible person is assigned and listed on the SWMS for the impement of continue measures.			
Permit requirements specified, such as Hot Wren Electrical Work, Versat Heights etc.			
SWMS identifies plant and equipment to be up.			
Details of inspection checks required for any equipment listed ar noted on the SWMS.			
Describes any mandatory qualifications, experience vaining skills required to perform the work.			
Applicable personal protective equipment is selected on the SWMS.			
Lists any required permits or licenses.			
Reflects and documents any legislative references and/or Australian Standards.			
Identifies any hazardous substances used with specific control measures in line with any SDS.			
REVIEWED BY	DATE RI	EVIEWED	
SIGNATURE	DATE COMPLETED		