

Nailing Tools (Gas Powered) SAFE WORK METHOD STATEMENT (SWMS)								
TASK O	R ACTIVITY: Nailing Tools (Gas I	Powered)						
Business Name: [Company Name]		ABN: [ABN]	SWMS#					
Business Address: [Company Address]								
Contact Person:	Phone: [Phone]	E gil:						
THIS SAFE WORK METHOD	STATEMENT IS APPROVED BY	THE PL OF THE PROJECT						
Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts.	cting a business or undertaking (r BU) is	required to ture fat a safe work method s	statement (SWMS) is prepared before					
Full Name:								
Signature:		Title:	Date:					
Details of the person(s) responsible for ensuring implementation, monitoring a	compliance of the SWMS well as review	s and modifications of the SWMS.						
Full Name:		Title:	Phone:					
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS WMS. ST HAVE THE FOLLOWING COMMUNICATED	N. 1E AND DATED SIGNATURE OF A	LL RELEVANT PERSONNEL WHO HAVE B OPMENT AND APPROVAL OF THIS SWMS	EEN CONSULTED AND					
Safety meetings or toolbox talks will be sched ed in accordance with egislative requirements to first identify any site hazards, conduct or unical those hazards and then to further take steps to either concere or concere each hazard.	NAME	SIGNATURE	DATE					
If an incident or a near miss occurs, all work must structure unately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.								
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.								
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.								



CLIENT OR PRINCIPAL CONTRACTOR DETAILS											
Client:					SCOPE OF WORKS						
Project Name:					Provide a detailed description of the specific work being carried out (otherwis						
Project Address:				ŀ	known as cope of works).						
Project Manager	:										
Contact Phone:											
Project Manager	Signature:										
Date SWMS sup	plied to Project Manag	er:									
		ANY HIG	H-RISK CON TUCT		ARRIED OUT						
involves a risk of	a person falling more than	2 meters.		is carried out on of	near pressurised gas main	s or piping.					
is carried out on	a telecommunication tower			is carried out on o	☐ is carried out on or near chemical, fuel or refrigerant lines.						
involves demoliti	on of an element of a struct	ure that is load-be		is carried out on or	is carried out on or near energised electrical installations or services.						
involves demoliti	on of an element related to	the physical integrit of a st	ir e,	is carried out in an area that may have a contaminated or flammable atmosphere.							
involves, or is like	ely to involve, disturbing a	estos.		involves tilt-up or precast concrete.							
involves structura	al alteration or repair that re	mporan upp to	prevent collapse.	is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor.							
☐ is carried out in c	or near a confined space.			is carried out in an area of a workplace where there is any movement of powered mobile plant.							
☐ is carried out in/r	near a shaft or trench deepe	er than 1.5m or tunnel involv	ving use of explosives.	is carried out in areas with artificial extremes of temperature.							
☐ is carried out in c	or near water or other liquid	that involves a risk of drown	ning.	involves diving wo	rk.						
		ANY	HIGH-RISK MACHINE	RY OR EQUIPMENT	NEARBY						
Forklift	Crane/s	☐ Hoist/s	Excavator	Backhoe/Loader	Boom Lift	EWP	Genie Lift				
Trencher	Drilling Rig	Trucks		Bobcat	E Flammable Gas	Fuel	Dozer				
High Voltage	Mulcher	Tilt-up Panels	Roller	Scissor Lift	Tractor	Other -					







JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
1. Preparation	Incorrect tool selection, Inappropriate work area		 Training and Induction: Ensure all workers who will be using gas-powered nailing tools have received adequate training, including core it tool selection, application, and safe operation of the devices. This should all unclude awareness on potential hazards associated with their use. Pre-Use Inspection: Perform a thorough in eaction of the powered nailing tools before starting any work. This should include the ckient of damaged or worn parts, ensuring proper assembly and alignment, and theying that the fuel cartridge is correctly installed and function up. Approved Tools: Only use applyced, compliant too in opporating internal safety mechanisms design the vice test meet A chalian Standards and manufacture recomment ons. Work rea As assment evaluate the onk area prior to commencing operations, ensured dequate using, ventilation, and no tripping hazards or obstructions are present he pove the devices any materials and items from the designated space to minimit thrusts of a identis. Tool Stectio Choos whe appropriate nail gun based on the material being thened in the two clific application. Familiarise yourself with the tool's specific power de acessary materials and items from the designated space to minimit thrusts of a identis. Protective Gear: Equip workers with the necessary personal protective equipment (Pieg) such as safety glasses, gloves, hearing protection, and steel-toed boots to nitigate injuries in case of an incident. Ensure PPE is in good condition and fits properly. Gas Cartridge Handling: Store and handle fuel cartridges according to manufacturer instructions, keeping them away from direct sunlight, heat sources, or sparks. Dispose of used or damaged containers following local regulations and guidelines. Clear Work Surfaces: Maintain clean and organised work surfaces to reduce the risk of unexpected movement of forceful contact with the nailing tools to prevent unauthorised use, accidental discharge, or damage to the tool. This	2М	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
2. Equipment Inspection	Malfunctioning equipment, Damaged gas canisters	4A	 Regularly inspect and maintain tools and equipment, ensuring they are in good working condition before use. Check for any signs of wear, damage, or malforation, paying particular attention to gas canisters and their connections. Ensure all operators have been appropriate trained on the safe use and handling of gas-powered nailing tools and associated excent. Implement a pre-use inspection checklist to be completed brane operator prior to commencing work. Immediately remarkation appropriate channels. Store gas can ters safe und secure use of from sources of heat, flame, and impacts preventoted on the manufacturer's instructions and safety guidelines for all equipment using use vincluding proper usage, storage, and disposal. Use oil appropriate personal protective equipment (PPE) such as gloves, safety goggles, and ear protection while operating the nailing tools. Assign a designated team member to regularly monitor tool operation and performance, identifying potential hazards early on. Establish a scheduled maintenance programme for all gas-powered nailing tools and ensure it is being consistently followed. Regularly communicate safety guidelines and best practices within the team, reinforcing the importance of adhering to established protocols. 	2М	
3. Loading Gas Canister	Gas leakage, Accidental triggering of tool	ЗH	 Ensure workers are trained and competent in the proper handling and loading of gas canisters to minimise potential risks associated with gas leakage or accidental triggering of tools. Follow the manufacturer's guidelines for the specific nailing tool being used, including recommendations for gas canister compatibility, storage, and handling. Conduct a thorough inspection of the gas canister for any signs of damage or defects prior to use. Do not use a damaged or leaking canister. Ensure that the work area is well-ventilated to mitigate the risk of exposure to harmful gases due to leakage from the canister. 	1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			- Workers should use appropriate personal protective equipment (PPE), including safety glasses and gloves during the process of loading gas canisters.		
			- Always load the gas canister with the nailing tool connected from its power source to prevent accidental triggering of the tr		
			- Install gas canisters using slow, controller povements to educe the potential for accidental discharge of gas or damage to the phister cal.		
			- Double-check gas canister connections to ensure they are properly secured before re-attaching the power source to the nailing tool.		
			- Establish an exclusion zone a und the worker load and the canister to maintain a safe distance between the vorket and others on-site ouring the process.		
			- Communique with other team meneors working in the vicinity, making them aware of the potential azards are clated when a large the gas canister to avoid surprise-trigger accide to.		
			- Imply in the a work and procedure for regularly checking and maintaining gas- powers in the g took of ensure their safe operation and optimal performance.		
			- Store couse cases can be ers upright in a cool, dry, well-ventilated location away from rect sublight a scheat sources.		
	1		- En., rel. y response plans should be established to address incidents involving as leak or accidental triggering of tools, ensuring that all team members are are of the proper course of action in such situations.		
	S				
4. Tool Positioning	Unstable footing, Misaligned nail placement	2M		1L	
	placement				



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
5. Nail Firing	Flying debris, Unintended nail discharge	ЗН		1L	

Version 2.5



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
6. Work Area Maintenance	Cluttered work area, Slipping hazards	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
7. Equipment Cleaning	Exposure to chemicals, Sharp edges	2М		1L	

Version 2.5



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
8. Gas Canister Disposal	Gas leakage, Explosion hazard	ЗН		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
				1L	

Version 2.5

Date of Issue:



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
	S				





JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
10. Emergency Response	Inadequate first aid, Delay in response			1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
11. Breaks & Rest Periods	Fatigue, Tripping durated	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
12. Finishing Work	Incomplete safety neck, Leftover materials	2M		1L	

Version 2.5



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON		
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS		NAME OF PERSON		
	S						



EMERGENCY RESPONSE - CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

	REFERENCES						
RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES ANY STATE AT ARE NOT APPLICABLE							
Queensland & Australian Capital Territory Work Health and Safety Act 2011 Work Health and Safety Regulations 2011 Legislation QLD: <u>https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws</u> Codes of Practice QLD: <u>https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice</u> Legislation ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice</u> Codes of Practice ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice</u>	Victoria Occupational Health and Safety Active 04 Occupational Health and unfetwing gulations 2017 Legismon VIC: <u>https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and- tulatures</u> Undes of mactice VICe <u>witps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice</u>						
New South Wales Work Health and Safety Act 2011 Work Health and Safety Regulations 2017 Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislatic Codes of Practice NSW: https://www.safework.nsw.gov.au/legal-obligations/legislatic	Western Australia Work Health and Safety Act 2020 Work Health and Safety Regulations 2022 Legislation Western Australia: <u>https://www.commerce.wa.gov.au/worksafe/legislation</u> Codes of Practice WA: <u>https://www.commerce.wa.gov.au/worksafe/codes-practice</u>						
Northern Territory Work Health and Safety (National Uniform Legislation) Act 2011 Work Health and Safety (National Uniform Legislation) Regulation 201. Legislation NT: https://worksafe.nt.gov.au/laws-and-compliance/workplace-servelaws Codes of Practice NT: https://worksafe.nt.gov.au/	Safe Work Australia Links Law and Regulation (All States): <u>https://www.safeworkaustralia.gov.au/law-and-regulation</u> Model Codes of Practice: <u>https://www.safeworkaustralia.gov.au/resources-publications/model- codes-of-practice</u>						
South Australia Work Health and Safety Act 2012 (SA) Work Health and Safety Regulations 2012 (SA) Legislation for SA: <u>https://www.safework.sa.gov.au/resources/legislation</u> Codes of Practice for SA: <u>https://www.safework.sa.gov.au/wor/caces/codes-of-practice#COPs</u>	Model Codes of Practice - Managing noise and preventing hearing loss at work - Confined spaces - Labelling of workplace hazardous chemicals - Managing risks of hazardous chemicals in the workplace - Welding processes						
Tasmania Work Health and Safety Act 2012 Work Health and Safety (Transitional and Consequential Provisions) Act 2012 Work Health and Safety Regulations 2012 Work Health and Safety (Transitional) Regulations 2012 Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/cacts-and-regulations Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/cacts-and-regulations	 First aid in the workplace Managing the risk of falls at workplaces Hazardous manual tasks Managing the risk of falls in housing construction Managing electrical risks in the workplace Demolition work Excavation work 						
Details of permits, licenses or access required by regulatory bodies (add or delete as required): - Permits from local council - Authorisation to commence work	 Work health and safety consultation, cooperation and coordination Managing the work environment and facilities How to manage work health and safety risks Managing risks of plant in the workplace Construction work 						

- Any required documents.



SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Position	Signature	Date	Time	Supervisor
			Date:		
			Datu		
			ı te:		
			Date:		

SAF WC A STHUD STATEMENT MONITORING AND REVIEW

The SWMS must be reviewed regularly to review the sure it remains revised if necessary) if relevant control measure are a conconsultation with workers (including contractors are subcontract of the SWMS and their health and safety representatives who re workplace.

ke sure it remains effective and must be reviewed (and are subcontractions) who may be affected by the operation sentatives who received that work group at the

When the SWMS has been revised the PCBU must ensure that all persons involved with the work are advised that a revision has been made and how they can access the revised SWMS, including all persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

- 1. Spot Checks.
- 2. Consultation with workers, contractors and sub-contractors.
- 3. Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies, followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	1	2	3	4	5	6	7
NAME							
INITIALS							
DATE							



SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	TO BE DONE	COMMENTS
The company details have been entered, including the project name and address.			
Names and signatures of all relevant personnel consulted during the development of the SWMS.		P	
Name, signature, position and date signed of the person approving the SWMS.			
Specific personnel and qualifications, experience is noted in the SWMS.			
Provides a step-by-step process of tasks required to carry out the activity or task.			
Adequate risk assessment of any identified hazards has been completed.			
Foreseeable hazards are identified and documented for each step.			
Any hazards listed in any site risk assessments have been added to the SWN			
SWMS initial risk (IR) column as well as residual risk (RR) columns completed.			
Check control measures added to the SWMS are the most effecting sections.			
Responsible person is assigned and listed on the SWMS for the imement of cont, measures.			
Permit requirements specified, such as Hot Wey, Electrical Work, Verat Heights etc.			
SWMS identifies plant and equipment to be up t.			
Details of inspection checks required for any equipment listed approved on the SWMS.			
Describes any mandatory qualifications, experience vaining skills required to perform the work.			
Applicable personal protective equipment is selected on the SWMS.			
Lists any required permits or licenses.			
Reflects and documents any legislative references and/or Australian Standards.			
Identifies any hazardous substances used with specific control measures in line with any SDS.			
			·
REVIEWED BY	DATE RI	EVIEWED	
SIGNATURE	DATE CO	MPLETED	