

Scroll Saw SA	FE WORK METHOD STATI	EMENT (SWMS)	
	TASK OR ACTIVITY: Scroll Saw		
Business Name: [Company Name]		ABN: [ABN]	SWMS#
Business Address: [Company Address]			
Contact Person:	Phone: [Phone]	E jil:	
THIS SAFE WORK METHOD	STATEMENT IS APPROVED BY	THE PLAN OF THE PROJECT	
Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts.	eting a business or undertaking (n 3U) is	required to ture at a safe work method s	tatement (SWMS) is prepared before
Full Name:			
Signature:		Title:	Date:
Details of the person(s) responsible for ensuring implementation, monitoring a	ompliance of the SWMS well as review	s and modifications of the SWMS.	
Full Name:		Title:	Phone:
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS WMS. ST HAVE THE FOLLOWING COMMUNICATED	N. 1E AND DATED SIGNATURE OF A CO. MUNICATED TO IN THE DEVELO	LL RELEVANT PERSONNEL WHO HAVE B PMENT AND APPROVAL OF THIS SWMS	EEN CONSULTED AND
Safety meetings or toolbox talks will be sched ed in accordance with egislative requirements to first identify any site hazards, conditions those hazards and then to further take steps to either the conditions of the conditions are or conditional talks.	NAME	SIGNATURE	DATE
If an incident or a near miss occurs, all work must standardly. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.			
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.			
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.			

Version 2.5 Authorised by Review # Date of Issue: Review Date: 1



		CL	IENT OR PRINCIPAL	CONTRACTOR D	DETAILS				
Client:						SCOPE OF WORKS			
Project Name:				Provide a detailed description	n of the specific work being	carried out (otherwise			
Project Address:					known as cope of works).				
Project Manager:									
Contact Phone:									
Project Manager Sig	gnature:								
Date SWMS supplie	ed to Project Manager:								
		ANY HIGH	RISK CON PUCT	N' JRK BEING	CARRIED OUT				
☐ involves a risk of a p	erson falling more than 2 n	neters.		is carried out on or near pressurised gas mains or piping.					
☐ is carried out on a te	lecommunication tower.		M + M	is carried out on	is carried out on or near chemical, fuel or refrigerant lines.				
☐ involves demolition of	of an element of a structure	that is load-be		is carried out on	☐ is carried out on or near energised electrical installations or services.				
☐ involves demolition of	of an element related to the	e physical integril of a str	3	is carried out in an area that may have a contaminated or flammable atmosphere.					
☐ involves, or is likely t	o involve, disturbing a es	stos.		involves tilt-up or precast concrete.					
☐ involves structural al	teration or repair that re	mporal, upp to p	prevent collapse.	☐ is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor.					
is carried out in or ne	ear a confined space.			is carried out in an area of a workplace where there is any movement of powered mobile plant.					
☐ is carried out in/near	a shaft or trench deeper th	nan 1.5m or tunnel involvir	ng use of explosives.	is carried out in	areas with artificial extremes of	f temperature.			
is carried out in or ne	ear water or other liquid tha	at involves a risk of drowning	ng.	involves diving v	vork.				
		ANY H	IGH-RISK MACHINER	RY OR EQUIPMEN	NT NEARBY				
☐ Forklift	☐ Crane/s	☐ Hoist/s	☐ Excavator	☐ Backhoe/Loader	Boom Lift	□ EWP	☐ Genie Lift		
☐ Trencher	☐ Drilling Rig	Trucks	Formwork	☐ Bobcat	☐ Flammable Gas	☐ Fuel	☐ Dozer		
☐ High Voltage	☐ Mulcher	☐ Tilt-up Panels	Roller	☐ Scissor Lift	☐ Tractor	☐ Other -			

Version 2.5 Authorised by Review # Date of Issue: Review Date: 2





FOOT HAND **HEAD HEARING** SPIRATORY FACE HIGH-VIS **PROTECTIVE** FALL SUN HAIR/JEWELLERY CLOTHING **PROTECTION PROTECTION** PROTECTION **PROTECTION** PROTE DTECTION **PROTECTION** CLOTHING **PROTECTION PROTECTION SECURED**

Select me appropriate PPE above suitable for the equipment used or the job task being performed (if applicable).

Note: A SWMS must be reviewed regularly to make sure it remains effective. A SWMS must be reviewed (and revised if necessary) if relevant control measures are revised. The review process should be carried out in consultation with workers (including contractors and subcontractors) who may be affected by the operation of the SWMS and their health and safety representatives who represented that work group at the workplace.

When a SWMS has been revised, the person conducting a business or undertaking must ensure all:

- 1. persons involved in the work are advised that a revision has been made and how they can access the revised SWMS;
- 2. persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS: and.
- 3. workers that will be involved in the work are provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
1. Preparation	Slips, trips and falls, Improper materials handling	2M	 Regular inspection of the work area for any tripping hazards, such as loose cords, cables, and debris on the floor. Ensuring that all walkways and paths within the work area are free from obstruction, properly maintained, and have tourslip surfaces. Providing training to all workers on proper in a gleek pues, and encouraging them to use these techniques when handling materia. Making sure that storage and so for materials are unanised butter, and easily accessible, to minimise unnectionary lifting and more me. Enforcing a strict can be voughted to go be a compared to the compared to the strict can be compared to the co	1L	
2. Inspect Equipment	Electrical hazards, Moving parts	2M	Regular equipment inspection and maintenance: Ensure that the scroll saw is routinely inspected for any signs of wear, damage, or malfunctions. This should be performed by a qualified technician according to the manufacturer's recommended schedule. Safe electrical connections: Double-check that all electrical connections are secure, grounded, and free from any exposed wires or potential sources of short-circuiting.	1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			 Power supply isolation: Utilise a Residual Current Device (RCD) to provide an additional layer of protection against electrical hazards by automatically disconnecting power if an imbalance is detected. Use of appropriate Personal Protective Equip out (PPE): Require workers to wear safety gloves, eye protection, and hearing of section when operating the scroll saw. Training and skill development: Ensure that of operations have adequate knowledge and expertise in using the scroll saw, as well as a stranding the associated risks and control measures. Safe work procedures: Imple ont and enforce a scroll saw is equipped work procedures for utilising a scroll saw safely and efficiency. Emergency scrolled and scroll saw sure that a scroll saw is equipped with a clearly labelly emergency up butto for scroll saw on a sturdy and level surface to reduce the sk of variation, misalignment, and accidental movement during operation. Proportion brkstatus act-up: Position the scroll saw on a sturdy and level surface to reduce the sk of variation, misalignment, and accidental movement during operation. Guarding moving parts. Ensure that all moving parts of the scroll saw, such as bufes at belts have adequate guarding in place to prevent accidental contact with the scroll. Blade changes and adjustments: Educate users on how to safely change and as 1st the scroll saw blade, including isolating power supply prior to changes to prevent unexpected equipment start-up. Good housekeeping practices: Maintain a clean and tidy work area, minimising clutter, trip hazards, and the build-up of combustible dust around the scroll saw. Appropriate signage: Display clear and readable warning signs around the scroll saw workplace, highlighting potential hazards and reminding workers of necessary control measures. Incident reporting and investigation: Implement a system for reporting near misses, accidents, and injuries involving the scroll saw to fos		
3. Install Blade	Blade breakage, Cuts from sharp edges	2M	 Proper training: Ensure all operators are adequately trained in safe handling and installation of blades, as well as identifying signs of blade wear and defects. Personal protective equipment (PPE): Operators should wear appropriate PPE, such as cut-resistant gloves, safety goggles, and long sleeves, to protect against cuts and flying debris. Regular maintenance and inspection: Perform periodic checks on the scroll saw and its components, including the blade, to ensure they are in good working order and free from defects. 	1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			- Use correct blade type and size: Always follow the manufacturer's recommendations for selecting the appropriate blade for the specific material being cut, ensuring it is suitable for the task at hand.		
			- Proper blade storage: Store unused blades in secure and dry location, away from moisture and direct sunlight, to prevent dark use and corresion.		
			- Blade installation technique: Follow the manufacture unstructions for installing the blade, ensuring it is properly clamped, tightened aligned.		
			- Stability of workstation: Ens. a that the scroll sales secure for ounted on a stable workstation, reducing the risk accidents during on a stable secure.		
			- Gradual tension instance instance the blade, apply even tension while tightening, avoiding abrure covement or exclusive force accould lead to breakage.		
			- Safe blade coosal: Discose of usecontaged blades in a designated sharps contaged to minorise the ask of injury to others.		
			- Clear was space, sep the area around the scroll saw clear of clutter and hazards that cold assetripting or other accidents while working with the tool.		
			- Unplug he's all saw, sen not in use or during blade change: This reduces the k of unstential activation, which may result in injury from contacting the moving bla.		
			Emergy stop button: Ensure that the scroll saw is equipped with an accessible ergency stop button that can be easily activated in case of unexpected issues or hands.		
			Incident reporting and response: Encourage prompt reporting of any incidents or near misses related to blade breakage or cuts in the workplace, enabling swift action to rectify any safety concerns and prevent future occurrences.		
4. Adjust Guides	Finger entrapment, Accidental activation	3H		2M	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
5. Connect Power	Electrical hazards, Faulty equipment	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
6. Workpiece Setup	Insecure workpiece, Slips and drops	ЗН		2M	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
7. Start Scroll Saw	Accidental activation, Noise hazard	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
8. Cutting Process	Flying debris, blade contact	4A		3H	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
9. Blade Maintenance	Cuts from sharp edges, Blade breakage	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
10. Dust Control	Dust inhalation, Poor visibility	3Н		2M	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
11. Blade Change	Blade breakage, Finger entrapment	ЗН		2M	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
12. Shutdown	Shutdown errors, Unintended power-	2M		1L	
13. Cleanup and Disposal	Sharp debris, Misplaced tools/resources	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
14. Equipment Storage	Unsafe storage, Hazardous surroundings	3H		2M	



SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
	5				



EMERGENCY RESPONSE - CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES. ANY STATE OF AT ARE NOT APPLICABLE.

Queensland & Australian Capital Territory

Work Health and Safety Act 2011

Work Health and Safety Regulations 2011

Legislation QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws

Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations

Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice

New South Wales

Work Health and Safety Act 2011

Work Health and Safety Regulations 2017

Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislations/leg

Codes of Practice NSW: https://www.safework.nsw.gov.au/resource-library/lis > odes-or racti

Northern Territory

Work Health and Safety (National Uniform Legislation) Act 2011

Work Health and Safety (National Uniform Legislation) Regulation 2011

Legislation NT: https://worksafe.nt.gov.au/laws-and-compliance/worksafe.nt.gov.au/laws-and-compl

Codes of Practice NT: https://worksafe.nt.gov.au/5

South Australia

Work Health and Safety Act 2012 (SA)

Work Health and Safety Regulations 2012 (SA)

Legislation for SA: https://www.safework.sa.gov.au/resources/legislation

Codes of Practice for SA: https://www.safework.sa.gov.au/work_aces/codes-of-practice#COPs

Tasmania

Work Health and Safety Act 2012

Work Health and Safety (Transitional and Consequential Provisions) Act 2012

Work Health and Safety Regulations 2012

Work Health and Safety (Transitional) Regulations 2012

Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations

Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.

Victoria

Occupational Health all Safety Act 34

Occupational Health and afety gulations 2017

Legis on VIC: https://www.xsafe.vic.gov.au/occupational-health-and-safety-act-and-

<u>Julai.</u>

des on actice VI autros://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice

Western Australia

Work Health and Safety Act 2020

Work Health and Safety Regulations 2022

Legislation Western Australia: https://www.commerce.wa.gov.au/worksafe/legislation

Codes of Practice WA: https://www.commerce.wa.gov.au/worksafe/codes-practice

Safe Work Australia Links

Law and Regulation (All States): https://www.safeworkaustralia.gov.au/law-and-regulation Model Codes of Practice: https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice

Model Codes of Practice

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work



SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Position	Signature	Date	Time	Supervisor
			Date:		
			Datu		
			L te:		
			Date:		
	SAF	STATEMENT	MONITORING AND RE	VIEW	
The SWMS must be reviewed regular revised if necessary) if relevant control consultation with workers (including cor of the SWMS and their health and safet workplace. When the SWMS has been revised the advised that a revision has been made who will need to change a work proced a way that will enable them to implement will be involved in the work must be pro	ed that work group at the ons involved with the work are ised SWMS, including all persons eview are advised of the changes in e revised SWMS. All workers that	effective in reducing the ris person responsible for more employ a multi-faceted app. 1. Spot Checks. 2. Consultation wirds. 3. Internal audits of the continuous followed up by immediate of the continuous followed up the	sk of incidents, keeping the nitoring the effectiveness or proach which includes but in the workers, contractors and on a continual basis. Is improvement, promptly recorrective action and considerations.	d sub-contractors. coording inconsistencies or deficiencies, ultation with all relevant personnel ensures	
them to understand and implement the REVIEW NUMBER	□ 1 □ 2	□ 3	that the PCBU is consister	Tily developing ever-improv	ring systems of safe work principles.
NAME					
INITIALS					
DATE					

Version 2.5 Authorised by Review # Date of Issue: Review Date: 20



SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training							
ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	TO BE DONE	COMMENTS				
The company details have been entered, including the project name and address.							
Names and signatures of all relevant personnel consulted during the development of the SWMS.		D					
Name, signature, position and date signed of the person approving the SWMS.							
Specific personnel and qualifications, experience is noted in the SWMS.	P						
Provides a step-by-step process of tasks required to carry out the activity or task.							
Adequate risk assessment of any identified hazards has been completed.							
Foreseeable hazards are identified and documented for each step.							
Any hazards listed in any site risk assessments have been added to the SWN							
SWMS initial risk (IR) column as well as residual risk (RR) columns completed.							
Check control measures added to the SWMS are the most effecting sections.							
Responsible person is assigned and listed on the SWMS for the imperent person is assigned and listed on the SWMS for the imperent person is assigned and listed on the SWMS for the imperent person is assigned and listed on the SWMS for the imperent person is assigned and listed on the SWMS for the imperent person is assigned and listed on the SWMS for the imperent person is assigned and listed on the SWMS for the imperent person is assigned and listed on the SWMS for the imperent person is assigned and listed on the SWMS for the imperent person is assigned and listed on the SWMS for the imperent person is assigned and listed on the SWMS for the imperent person person is assigned and listed on the SWMS for the imperent person per							
Permit requirements specified, such as Hot Work, Electrical Work, Vocat Heights etc.							
SWMS identifies plant and equipment to be u 1.							
Details of inspection checks required for any equipment listed at noted on the SWMS.							
Describes any mandatory qualifications, experience raining skills required to perform the work.							
Applicable personal protective equipment is selected on the SWMS.							
Lists any required permits or licenses.							
Reflects and documents any legislative references and/or Australian Standards.							
Identifies any hazardous substances used with specific control measures in line with any SDS.							
REVIEWED BY	DATE R	EVIEWED					
SIGNATURE	DATE CO	MPLETED					