

Street Sweeper	SAFE WORK METHOD STA	ATEMENT (SWMS)	
T.	ASK OR ACTIVITY: Street Sweep	er	
Business Name: [Company Name]		ABN: [ABN]	SWMS#
Business Address: [Company Address]			
Contact Person:	Phone: [Phone]	E fil:	
THIS SAFE WORK METHOD	STATEMENT IS APPROVED BY	THE PLOOF THE PROJECT	
Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts.	cting a business or undertaking (r 3U) is	required to ture at a safe work method s	tatement (SWMS) is prepared before
Full Name:			
Signature:		Title:	Date:
Details of the person(s) responsible for ensuring implementation, monitoring a	ompliance of the SWMS well as review	s and modifications of the SWMS.	
Full Name:		Title:	Phone:
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS WAS. ST HAVE THE FOLLOWING COMMUNICATED	N. 1E AND DATED SIGNATURE OF A CO. MUNICATED TO IN THE DEVELO	LL RELEVANT PERSONNEL WHO HAVE B PMENT AND APPROVAL OF THIS SWMS	EEN CONSULTED AND
Safety meetings or toolbox talks will be sched and in accordance with agislative requirements to first identify any site hazards, conditions those hazards and then to further take steps to either the conditions are or conditions.	NAME	SIGNATURE	DATE
If an incident or a near miss occurs, all work must standardly. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.			
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.			
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.			



Client: SCOPE OF WORKS Project Name: Project Address: Project Address: Project Address: Project Manager: Pro									
Client:						SCOPE OF WORKS			
Project Name:					n of the specific work being	carried out (otherwise			
Project Address:					known as cope of works).				
Project Manager:									
Contact Phone:									
Project Manager Sig	gnature:								
		ANY HIGH	RISK CON PUCT	N' JRK BEING	CARRIED OUT				
☐ involves a risk of a p	erson falling more than 2 n	neters.		is carried out on or near pressurised gas mains or piping.					
☐ is carried out on a te	lecommunication tower.		is carried out on	is carried out on or near chemical, fuel or refrigerant lines.					
☐ involves demolition of	of an element of a structure	that is load-be		is carried out on	is carried out on or near energised electrical installations or services.				
☐ involves demolition of	of an element related to the	e physical integril of a str	3	is carried out in	☐ is carried out in an area that may have a contaminated or flammable atmosphere.				
☐ involves, or is likely t	o involve, disturbing a es	stos.		☐ involves tilt-up o	☐ involves tilt-up or precast concrete.				
☐ involves structural al	teration or repair that re	mporal, upp to p	prevent collapse.	is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor.					
is carried out in or ne	ear a confined space.			is carried out in an area of a workplace where there is any movement of powered mobile plant.					
☐ is carried out in/near	a shaft or trench deeper th	nan 1.5m or tunnel involvir	ng use of explosives.	is carried out in	areas with artificial extremes of	f temperature.			
is carried out in or ne	ear water or other liquid tha	at involves a risk of drowning	ng.	involves diving v	vork.				
		ANY H	IGH-RISK MACHINER	RY OR EQUIPMEN	NT NEARBY				
☐ Forklift	☐ Crane/s	☐ Hoist/s	☐ Excavator	☐ Backhoe/Loader	Boom Lift	□ EWP	☐ Genie Lift		
☐ Trencher	☐ Drilling Rig	Trucks	Formwork	☐ Bobcat	☐ Flammable Gas	☐ Fuel	☐ Dozer		
☐ High Voltage	☐ Mulcher	☐ Tilt-up Panels	Roller	☐ Scissor Lift	☐ Tractor	☐ Other -			





FOOT HAND **HEAD HEARING** SPIRATORY FACE HIGH-VIS **PROTECTIVE** FALL SUN HAIR/JEWELLERY CLOTHING **PROTECTION PROTECTION** PROTECTION **PROTECTION** PROTE DTECTION **PROTECTION** CLOTHING **PROTECTION PROTECTION SECURED**

Select me appropriate PPE above suitable for the equipment used or the job task being performed (if applicable).

Note: A SWMS must be reviewed regularly to make sure it remains effective. A SWMS must be reviewed (and revised if necessary) if relevant control measures are revised. The review process should be carried out in consultation with workers (including contractors and subcontractors) who may be affected by the operation of the SWMS and their health and safety representatives who represented that work group at the workplace.

When a SWMS has been revised, the person conducting a business or undertaking must ensure all:

- 1. persons involved in the work are advised that a revision has been made and how they can access the revised SWMS;
- 2. persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS: and.
- 3. workers that will be involved in the work are provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
1. Preparation	Slips, trips, and falls; Exposure to harmful substances	2M	 Conduct a thorough inspection of the work area before commencing operations, identifying and addressing potential tripping hazards ouch as debris, uneven surfaces, or any obstacles. Ensure that all street sweeping personnel to equipped with appropriate personal protective equipment (PPE), including slip-restant foot out, high visibility clothing, gloves, and safety goggles to mitigate risks are cipit with slips, trips, and falls. Incorporate clear communication protocols amount all team more bers, including hand signals and radio communication, to ensure chareness of potential hazards and ongoing activities. Utilise approprise signals and is tricades around the worksite to warn pedestrians and drivers of cheet sweep by opera ons and use them away from potential hazards. Estimate exclusion on less around the street sweeper and work area to minimise the rise of nauthoused personnel being exposed to hazards associated with the machilicity. Implement proper store and handling techniques for any chemicals, fuels, or aszardo is subscribed as during the course of street sweeping operations, in aucordan with beal regulations and Material Safety Data Sheets (MSDS). Scheological preaks for workers to reduce fatigue, which can contribute to an reased likelihood of slips, trips, and falls. Provide training for all employees on the correct use and maintenance of the street sweeper, as well as general workplace health and safety procedures. Establish an effective maintenance programme for the street sweeper machinery, ensuring it is routinely inspected and serviced, including checking and replacing faulty parts such as worn-out brushes or damaged wheels. Create an emergency response plan to handle incidents such as chemical spills, injuries resulting from slips, trips, and falls, or equipment malfunctions, ensuring that all personnel are aware of their roles and responsibilities in emergency situations. 11 Properly dispose of w	1L	
2. Pre-operation checks	Electrical hazards, Entanglement in machinery	ЗН	 Turn off the Street Sweeper machine and ensure it is isolated from any power source before performing pre-operation checks to prevent electrical hazards. Conduct a thorough visual inspection of all electrical cables, components, and connections for signs of wear, fraying or damage. Repair or replace any damaged parts before starting the machine. Use only properly tested and certified electrical equipment, including extension cords, cables, and junction boxes that meet Australian standards for workplace safety. 	2M	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			- Ensure that all machinery guards are securely in place to prevent access to moving parts and reduce the risk of entanglement. Regularly inspect these guards for damage or wear and replace them as needed.		
			- Keep clothes, hair, jewellery, and other loose and secured to avoid getting caught in machinery during pre-operation checks, adding the possibility of entanglement or injury.		
			- Implement lockout/tagout procedures to ensure an authorised personnel can operate the machinery during pre-operation check and prevent ccidental energising of the machine who maintenance or in action to be being performed.		
			- Provide personal provide equipment (PPE) such a gioves, safety glasses, and high-visibility clothing for vickers inducting pre-operation checks to protect against potential hazards.		
			- Make ture the the work rea around source Sweeper is clear of debris, obstant and some surfaces that could cause accidents or impede pre-operation check		
			- Cond the lar training programs for workers on electrical safety principles, hazard entire tion, as proper machine operation, so they are equipped with the powled into convey out pre-operation checks safely.		
			- Imported a system of regular machinery maintenance by qualified technicians to ninimis risk of unexpected breakdowns, electrical hazards, and entanglement ring pre-operation checks.		
	6		- D. velop and maintain a Safe Work Method Statement (SWMS) for Street Sweeper perations, listing specific hazards related to the pre-operation checks and detailing the control measures to be followed by workers. This document should be communicated to all relevant personnel and updated regularly.		
			- Provide proper training for operators on the safe start-up procedure of the street sweeper, including identifying potential hazards and avoiding them.		
			- Ensure correct Personal Protective Equipment (PPE) is worn by the operator at all times during the start-up process, such as hearing protection to minimise noise exposure and gloves to protect against moving parts.		
3. Start-up	Caught in moving parts, Noise pollution	3H	- Conduct regular inspections of the street sweeper, making certain that all guarding and safety features are in place and properly functioning.	1L	
ο. σιαιτ-υρ	3. Start-up Caught in moving parts, Noise polition	Jii	- Create designated start-up zones to keep unauthorised personnel away from the equipment during the start-up process, reducing the risk of accidents involving caught in or struck by incidents.		
			- Establish a clear communication system between operators and other workers in the vicinity to inform them of when the machine is being powered up, ensuring they maintain a safe distance.		
			- Follow manufacturer guidelines for preventive maintenance to ensure all components, including moving parts, are operating correctly and safely.		



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			- Incorporate an emergency stop button in a clearly visible and accessible location to allow for the quick shut down of the machinery if a hazard is identified during start-up.		
			- Utilise appropriate signage in the work area or municating the presence of hazardous noise levels and reinforcing the puricement for hearing protection when in proximity to the street sweeper.		
			- Develop site-specific start-up procedures that the specific risks and safety measures related to the work environment, such pedestrian of vehicle traffic, and other potential hazards.		
			- Implement a lockor to sut sys in to prevent accide at energising of the street sweeper during the uring by authorised personnel have access to controls.		
			- Regularly reversand use the He Safe and Method Statement (SWMS) to income the any same needed based on new equipment, revised processes, or lessolable med first previous incidents, ensuring continuous improvement in workplace alth an afety.		
4. Sweep route	Vehicle collision, Pedestario	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
5. Debris disposal	Manual handling injuries, Dust exposure	2M		1L	



8

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
6. Reverse operation	Struck-by accidents, Limited visibility	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
7. Breakdowns	Traffic hazards; Fire risk or explosion	ЗН		2M	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	PERSON NAME OF PERSON
8. Maintenance	Confined spaces, Chemical exposure	ЗН		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
9. Fuelling	Spillages, Fire or explosion	3Н		2M	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
10. Equipment storage	Falling objects, Trips over stored items	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
11. Emergency procedure	Inadequate emergency response, Panic-induced accidents	4A		2M	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL	NAME OF PERSON
12. Post-operation review	Incorrect evaluation of safety procedures, Failure to identify new risks	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON



EMERGENCY RESPONSE - CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES. ANY STATE OF AT ARE NOT APPLICABLE.

Queensland & Australian Capital Territory

Work Health and Safety Act 2011

Work Health and Safety Regulations 2011

 $\textbf{Legislation QLD:} \ \underline{\textbf{https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws}$

Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations

Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice

New South Wales

Work Health and Safety Act 2011

Work Health and Safety Regulations 2017

Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislati

Codes of Practice NSW: https://www.safework.nsw.gov.au/resource-library/lis > odes-or racti

Northern Territory

Work Health and Safety (National Uniform Legislation) Act 2011

Work Health and Safety (National Uniform Legislation) Regulation 2011

Legislation NT: https://worksafe.nt.gov.au/laws-and-compliance/wo_place-

Codes of Practice NT: https://worksafe.nt.gov.au/s

South Australia

Work Health and Safety Act 2012 (SA)

Work Health and Safety Regulations 2012 (SA)

Legislation for SA: https://www.safework.sa.gov.au/resources/legislation

Codes of Practice for SA: https://www.safework.sa.gov.au/work_aces/codes-of-practice#COPs

Tasmania

Work Health and Safety Act 2012

Work Health and Safety (Transitional and Consequential Provisions) Act 2012

Work Health and Safety Regulations 2012

Work Health and Safety (Transitional) Regulations 2012

Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations

Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.

Victoria

Occupational Health al. Safety Act

Occupational Health and Infety gulations 2017

Legis on VIC: https://www.safe.vic.gov.au/occupational-health-and-safety-act-and-

gulat

des on actice VI autros://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice

Western Australia

Work Health and Safety Act 2020

Work Health and Safety Regulations 2022

Legislation Western Australia: https://www.commerce.wa.gov.au/worksafe/legislation Codes of Practice WA: https://www.commerce.wa.gov.au/worksafe/codes-practice

Safe Work Australia Links

Law and Regulation (All States): https://www.safeworkaustralia.gov.au/law-and-regulation Model Codes of Practice: https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice

Model Codes of Practice

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work



SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

	Tollow ally sale work instructions which are provided, and agrees to use all resonal riotective Equipment where appropriate.							
Worker Name	Pos	sition	Signature	Date	Time	Sup	pervisor	
				Date:				
				_				
				Date				
				l te:				
			AV	Date:				
				Date:				
				Date:				
				Date:				
SAF WC A STHED STATEMENT MONITORING AND REVIEW								
The SWMS must be reviewed regularly to take sure it remains effective and must be reviewed (and revised if necessary) if relevant control measure are subcontracted by the operation of the SWMS and their health and safety representatives who recessented that work group at the workplace. When the SWMS has been revised the PCBU must ensure that all persons involved with the work are advised that a revision has been made and how they can access the revised SWMS, including all persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist			The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to: 1. Spot Checks. 2. Consultation with workers, contractors and sub-contractors. 3. Internal audits on a continual basis. An approach of continuous improvement, promptly recording inconsistencies or deficiencies, followed up by immediate corrective action and consultation with all relevant personnel ensures					
them to understand and imp					tently developing ever-imp	3 ,	· '	
REVIEW NUMBER	1	□ 2	□ 3	□ 4	□ 5	□ 6	□ 7	
NAME								
INITIALS								
DATE								



SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	TO BE DONE	COMMENTS
The company details have been entered, including the project name and address.			
Names and signatures of all relevant personnel consulted during the development of the SWMS.		P	
Name, signature, position and date signed of the person approving the SWMS.			
Specific personnel and qualifications, experience is noted in the SWMS.	P		
Provides a step-by-step process of tasks required to carry out the activity or task.			
Adequate risk assessment of any identified hazards has been completed.			
Foreseeable hazards are identified and documented for each step.			
Any hazards listed in any site risk assessments have been added to the SWI			
SWMS initial risk (IR) column as well as residual risk (RR) columns completed.			
Check control measures added to the SWMS are the most effective sections.			
Responsible person is assigned and listed on the SWMS for the imperent of contameasures.			
Permit requirements specified, such as Hot Work, Electrical Work, Vocat Heights etc.			
SWMS identifies plant and equipment to be u d.			
Details of inspection checks required for any equipment listed at noted on the SWMS.			
Describes any mandatory qualifications, experience reining skills required to perform the work.			
Applicable personal protective equipment is selected on the SWMS.			
Lists any required permits or licenses.			
Reflects and documents any legislative references and/or Australian Standards.			
Identifies any hazardous substances used with specific control measures in line with any SDS.			
REVIEWED BY	DATE R	EVIEWED	
SIGNATURE	DATE CO	MPLETED	