

Stump Grinder S	SAFE WORK METHOD STA	TEMENT (SWMS)	
Т	ASK OR ACTIVITY: Stump Grind	er	
Business Name: [Company Name]		ABN: [ABN]	SWMS#
Business Address: [Company Address]			
Contact Person:	Phone: [Phone]	E 111:	
THIS SAFE WORK METHOD	STATEMENT IS APPROVED BY 1	THE PL OF THE PROJECT	
Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts.	eting a business or undertaking (N=3U) is	required to ure at a safe work method s	tatement (SWMS) is prepared before
Full Name:			
Signature:		Title:	Date:
Details of the person(s) responsible for ensuring implementation, monitoring a	ompliance of the SWMS well as review	s and modifications of the SWMS.	
Full Name:		Title:	Phone:
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS WMS. ST HAVE THE FOLLOWING COMMUNICATED	N. 1E AND DATED SIGNATURE OF A CO. MUNICATED TO IN THE DEVELO	LL RELEVANT PERSONNEL WHO HAVE BI PMENT AND APPROVAL OF THIS SWMS	EEN CONSULTED AND
Safety meetings or toolbox talks will be sched ed in accordance with egislative requirements to first identify any site hazards, conditions those hazards and then to further take steps to either the conditions of the conditions are or conditional talks.	NAME	SIGNATURE	DATE
If an incident or a near miss occurs, all work must standardly. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.			
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.			
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.			



		CL	IENT OR PRINCIPAL	CONTRACTOR D	DETAILS				
Client:						SCOPE OF WORKS			
Project Name:				Provide a detailed description	n of the specific work being	carried out (otherwise			
Project Address:					known as cope of works).				
Project Manager:									
Contact Phone:									
Project Manager Sig	gnature:								
Date SWMS supplie	ed to Project Manager:								
		ANY HIGH	RISK CON PUCT	N' JRK BEING	CARRIED OUT				
☐ involves a risk of a p	erson falling more than 2 n	neters.		is carried out on or near pressurised gas mains or piping.					
is carried out on a te	lecommunication tower.		$H \cap H$	is carried out on	is carried out on or near chemical, fuel or refrigerant lines.				
☐ involves demolition of	of an element of a structure	that is load-be		is carried out on	carried out on or near energised electrical installations or services.				
☐ involves demolition of	of an element related to the	e physical integril of a str	3	☐ is carried out in an area that may have a contaminated or flammable atmosphere.					
☐ involves, or is likely t	o involve, disturbing a es	stos.		☐ involves tilt-up or precast concrete.					
☐ involves structural al	teration or repair that re	mporal, upp to p	prevent collapse.	is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor.					
is carried out in or ne	ear a confined space.			is carried out in an area of a workplace where there is any movement of powered mobile plant.					
☐ is carried out in/near	a shaft or trench deeper th	nan 1.5m or tunnel involvir	ng use of explosives.	☐ is carried out in areas with artificial extremes of temperature.					
is carried out in or ne	ear water or other liquid tha	at involves a risk of drowning	ng.	involves diving v	vork.				
		ANY H	IGH-RISK MACHINER	RY OR EQUIPMEN	NT NEARBY				
☐ Forklift	☐ Crane/s	☐ Hoist/s	☐ Excavator	☐ Backhoe/Loader	Boom Lift	□ EWP	☐ Genie Lift		
☐ Trencher	☐ Drilling Rig	Trucks	Formwork	☐ Bobcat	☐ Flammable Gas	☐ Fuel	☐ Dozer		
☐ High Voltage	☐ Mulcher	☐ Tilt-up Panels	Roller	☐ Scissor Lift	☐ Tractor	☐ Other -			





FOOT HAND **HEAD HEARING** SPIRATORY FACE HIGH-VIS **PROTECTIVE** FALL SUN HAIR/JEWELLERY CLOTHING **PROTECTION PROTECTION** PROTECTION **PROTECTION** PROTE DTECTION **PROTECTION** CLOTHING **PROTECTION PROTECTION SECURED**

Select me appropriate PPE above suitable for the equipment used or the job task being performed (if applicable).

Note: A SWMS must be reviewed regularly to make sure it remains effective. A SWMS must be reviewed (and revised if necessary) if relevant control measures are revised. The review process should be carried out in consultation with workers (including contractors and subcontractors) who may be affected by the operation of the SWMS and their health and safety representatives who represented that work group at the workplace.

When a SWMS has been revised, the person conducting a business or undertaking must ensure all:

- 1. persons involved in the work are advised that a revision has been made and how they can access the revised SWMS;
- 2. persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS: and.
- 3. workers that will be involved in the work are provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			- Conduct a thorough risk assessment and site inspection before starting the project to identify potential hazards, such as uneven surface debris, or obstructions that may cause slips, trips, and falls.		
			- Establish designated walkways and accept points for workers to use during the project to minimise the exposure to uneven und or or lefed areas that could pose a risk for slips, trips, and falls.		
			- Ensure proper housekeeping by incorporating a ular clean-un rocedures throughout the day and at the and of each shift to be the and area clear of debris, tools, and other unnecessary of the control o		
			- Provide anti-slip of wear and reported all workers to wear them while on the job site to reduce the cellhood of sping of yet or streety surfaces.		
			- Clear's mark by areas an higher ris conslipping, tripping, or falling, such as steps comps, or areas in elevation. Inform workers and visitors of these hazar by areas.		
1. Preparation	Slips, trips and falls, Poor housekeeping	2M	- Repla 3 dama d or worn-out flooring, pathways, and surfaces to prevent acciden resum g from oor conditions.	1L	
			ain w kers in orrect lifting techniques and provide proper equipment, such as doling artists, to move heavy loads safely and without causing unnecessary strain in their less.		
			- pnitor weather conditions closely, especially during rainy or icy seasons, and adjust work plans accordingly to ensure safe working conditions, including postponing work in extreme weather conditions if necessary.		
			- Instruct workers on the proper use and maintenance of personal protective equipment (PPE) related to slip, trip, and fall prevention.		
			- Develop an emergency response plan to ensure swift action is taken in case of a slip, trip, or fall incident. Regularly review and update this plan so that it remains current and relevant to potential hazards.		
			- Encourage open communication between team members and supervisors about workplace safety concerns. Implement a reporting system that allows workers to express their concerns regarding slip, trip, and fall hazards without fear of retaliation, and make sure that identified problems are addressed promptly.		
			- Conduct a thorough visual inspection of the stump and surrounding area to identify any potential obstacles, such as rocks, wires, or underground utilities.		
2. Stump Assessment	Jumping stump grinder, Unexpected obstacles	3H	- Remove any loose debris or objects that may cause the stump grinder to jump, ensuring a stable grinding platform and reducing the chance of equipment damage.	1L	
			 Use appropriate signage and safety barriers to create an exclusion zone around the work area, preventing unauthorised access and protecting the public from potential hazards. 		



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			- Train all personnel operating the stump grinder on the safe use of the equipment, including proper start-up and shut down procedures, and how to respond in the event of unexpected obstacles or equipment malfund.		
			- Ensure that regular maintenance checks are cormed on the stump grinder, particularly focusing on the condition of the cuel, belts, teeth, and overall stability of the equipment.		
			- Evaluate the root system of the stump and programming grinding process accordingly, taking into account the depth width, and angle regired to ensure safe operation and reduce the risk of jumping reuncontrolled more ment.		
			- Prioritise communication between the equipment operator and other workers, using clear hand signal and/or alio communication to blert each other of any safety hazards or changes in the lark plan		
			- Provide each orker with ersonal Provide Equipment (PPE), including safety gogg parmula of s, and steel-toed boots, which they should wear at all times while b, or in the cinity of the stump grinder.		
			- In case of counter a unexpected obstacles during grinding, immediately stop the operation, usess to situation, and develop a suitable plan to address the issue it inducts a mpro. Sing safety.		
	6		- Alu s t and stumps at an appropriate speed, systematically lowering the cutting theel in the stump and avoiding aggressive movements that could cause the dipment to become unstable or unresponsive.		
			- Exablish an emergency response plan to handle incidents involving injury, equipment damage, or other emergencies that may arise during the stump grinding process.		
			- Conduct regular safety meetings with the team to review work procedures, address any concerns or issues, and continually improve the overall safety culture on the job site.		
			- Conduct a site inspection: Before setting up the stump grinder, conduct a thorough site inspection to identify any potential hazards, such as rocks, debris, or other obstacles. This will provide valuable insight into potential issues related to unstable ground or machine setup failure.		
Stump Grinder Setup	Unstable ground, Machine setup failure	2M	- Identify firm and level ground for setup: Choose a stable, level surface for setting up the stump grinder to reduce the risks associated with unstable ground. Remove any loose material or debris that could cause the machine to shift during operation.	1L	
			- Utilise stabilizers or outriggers: Equip the stump grinder with stabilizers or outriggers if available. These components can help maintain stability by distributing weight evenly across the base of the machine, reducing the likelihood of tipping or shifting on uneven terrain.		
			- Follow manufacturer's guidelines for setup: Read and strictly adhere to the manufacturer's guidelines for machine setup. This will ensure appropriate installation procedures are followed, minimising any potential setup failures.		



POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
		- Perform regular maintenance checks: Keep the stump grinder well-maintained, addressing any wear or damage promptly. Regular servicing and maintenance can help prevent faults that may lead to setup failures or cidents.		
		- Provide proper training for operators: Ensure and all stump grinder operators have received comprehensive instruction on corporations, and safety precautions, as well as possess the necessing qualifications or certifications.		
		- Use safety barriers and signage: Set up safet the working area to keep unanthorised personner by the stump grinder while a in operation.		
		machine-related a dent. in we are on how to deal with possible mechanical failures, shut an procedule, and traid remarks. - Monitor weak a conditions: Pay attention of local weather forecasts and avoid		
		operative the state of the stat		
		- Regularly a few and update SWMS: Continuously monitor the effectiveness of control assets during ach work step and make necessary adjustments to chance afety, insure that all workers are informed of any changes and how they will a impene to a second and the second accordance to the second acco		
Missing safety quard. Worn wording				
wheel	2M	_	1L	
	HAZARDS THAT MAY ARISE Missing safety guard, Worm granding	HAZARDS THAT MAY ARISE INITIAL RISK Missing safety guard, Worn granding	HAZARDS THAT MAY ARISE NITIAL RISK SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	HAZARDS THAT MAY ARISE INITIAL RISK Perform regular maintenance checks: Keep the stump grinder well-maintained, addressing any wear or damage promptly. Regular servicing and maintenance can help prevent faults that may lead to setup failures or cicidents. Provide proper training for operators: Ensure a last stump grinder operators have received comprehensive instruction on corducte, machine setup, and safety precautions, as well as possess the necess qualification of corducters and warning signs around the working area to keep unaethorised personned bystander as a safe distance from the stump grinder while a in operation. Plan for emergency Insulation Plan for emergency response Plan in case of a machine-related users, in wears on how to deal with possible mechanical failures, shurlowin procedully, and war aid for using. Monitify weak a condition of inpedes are setup. Application Plan for emergency Plan in case of a machine-related users, and warning signs around the working area to keep unaethorised personned bystander as a safe distance from the stump grinder while a in operation.



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
5. Grinding Operation	Flying debris, Noise exposure	3Н		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
6. Equipment Adjustment	Pinching injuries, Improper adjustme	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
7. Moving the Grinder	Collisions with otherwork was y the equipment	₽M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
8. Maintenance Activities	Electricity shock, Ducaration	≥M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
9. Breakdown Management	Unexpected starts, Inadequate lockout/tagout procedure	ЗН		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
10. Equipment Cleaning	Slips, trips and falls, Emposure to hazardous chemicals	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
11. Transporting Grinder	Falls from heights, Vehicle accide	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
JOB STEP SPECIFIC WORK STEPS	POTENTIAL HAZARDS HAZARDS THAT MAY ARISE	IR INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RR RESIDUAL RISK	RESPONSIBLE PERSON NAME OF PERSON
12. Reporting and Monitoring	Incorrect documentation, Failure to identify hazards in a timely manner	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON



EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES. ANY STATE OF AT ARE NOT APPLICABLE.

Queensland & Australian Capital Territory

Work Health and Safety Act 2011

Work Health and Safety Regulations 2011

Legislation QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice

Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations

Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice

New South Wales

Work Health and Safety Act 2011

Work Health and Safety Regulations 2017

Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislative

Codes of Practice NSW: https://www.safework.nsw.gov.au/resource-library/lis codes-of ractice NSW: https://www.safework.nsw.gov.au/resource-library/lis codes-of-ractice NSW

Northern Territory

Work Health and Safety (National Uniform Legislation) Act 2011

Work Health and Safety (National Uniform Legislation) Regulation 2011

Legislation NT: https://worksafe.nt.gov.au/laws-and-compliance/wo_place-

Codes of Practice NT: https://worksafe.nt.gov.au/s

South Australia

Work Health and Safety Act 2012 (SA)

Work Health and Safety Regulations 2012 (SA)

Legislation for SA: https://www.safework.sa.gov.au/resources/le_lation

Codes of Practice for SA: https://www.safework.sa.gov.au/wor aces/codes-of-practice#COPs

Tasmania

Work Health and Safety Act 2012

Work Health and Safety (Transitional and Consequential Provisions) Act 2012

Work Health and Safety Regulations 2012

Work Health and Safety (Transitional) Regulations 2012

Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations

Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.

Victoria

Occupational Health al. Safety Act

Occupational Health and afety gulations 2017

Legis on VIC: https://www.safe.vic.gov.au/occupational-health-and-safety-act-and-

<u>qulat.</u>

des on actice VI autros://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice

Western Australia

Work Health and Safety Act 2020

Work Health and Safety Regulations 2022

Legislation Western Australia: https://www.commerce.wa.gov.au/worksafe/legislation

Codes of Practice WA: https://www.commerce.wa.gov.au/worksafe/codes-practice

Safe Work Australia Links

Law and Regulation (All States): https://www.safeworkaustralia.gov.au/law-and-regulation Model Codes of Practice: https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice

Model Codes of Practice

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work



SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Tollow arry sale work instruction								
Worker Name	Pos	sition	Signature	Date	Time	Sup	pervisor	
				Date:				
				_				
			Date					
				l te:				
			AV	Date:				
				Date:				
				Date:				
				Date:				
SAF WC A STHED STATEMENT MONITORING AND REVIEW								
The SWMS must be reviewed regularly to revised if necessary) if relevant control measure and subcontract is reviewed (and revised if necessary) if relevant control measure are subcontract is review process should be carried out in consultation with workers (including contractors and subcontract is) who may be affected by the operation of the SWMS and their health and safety representatives who received that work group at the workplace. When the SWMS has been revised the PCBU must ensure that all persons involved with the work are advised that a revision has been made and how they can access the revised SWMS, including all persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.			The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to: 1. Spot Checks. 2. Consultation with workers, contractors and sub-contractors. 3. Internal audits on a continual basis. An approach of continuous improvement, promptly recording inconsistencies or deficiencies, followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.					
REVIEW NUMBER	□ 1	<u> </u>	□ 3	<u></u> 4	□ 5	□ 6	□ 7	
NAME								
INITIALS								
DATE								



SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	TO BE DONE	COMMENTS
The company details have been entered, including the project name and address.			
Names and signatures of all relevant personnel consulted during the development of the SWMS.		P	
Name, signature, position and date signed of the person approving the SWMS.			
Specific personnel and qualifications, experience is noted in the SWMS.	P		
Provides a step-by-step process of tasks required to carry out the activity or task.			
Adequate risk assessment of any identified hazards has been completed.			
Foreseeable hazards are identified and documented for each step.			
Any hazards listed in any site risk assessments have been added to the SWI			
SWMS initial risk (IR) column as well as residual risk (RR) columns completed.			
Check control measures added to the SWMS are the most effecting sections.			
Responsible person is assigned and listed on the SWMS for the imperent of contameasures.			
Permit requirements specified, such as Hot Work, Electrical Work, Vorat Heights etc.			
SWMS identifies plant and equipment to be u d.			
Details of inspection checks required for any equipment listed at noted on the SWMS.			
Describes any mandatory qualifications, experience raining skills required to perform the work.			
Applicable personal protective equipment is selected on the SWMS.			
Lists any required permits or licenses.			
Reflects and documents any legislative references and/or Australian Standards.			
Identifies any hazardous substances used with specific control measures in line with any SDS.			
REVIEWED BY	DATE R	EVIEWED	
SIGNATURE	DATE CC	MPLETED	