

| Thermal Parts Wash | er SAFE WORK METHOD | STATEMENT (SWMS) | |
|--|---|---|------------------------------------|
| TASH | OR ACTIVITY: Thermal Parts W | asher | |
| Business Name: [Company Name] | | ABN: [ABN] | SWMS# |
| Business Address: [Company Address] | | | |
| Contact Person: | Phone: [Phone] | E fil: | |
| THIS SAFE WORK METHOD | STATEMENT IS APPROVED BY | THE POST THE PROJECT | |
| Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts. | cting a business or undertaking (N 3U) is | required to ture at a safe work method s | tatement (SWMS) is prepared before |
| Full Name: | | | |
| Signature: | | Title: | Date: |
| Details of the person(s) responsible for ensuring implementation, monitoring | compliance of the SWMS well as review | s and modifications of the SWMS. | |
| Full Name: | | Title: | Phone: |
| ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS WMS. ST HAVE THE FOLLOWING COMMUNICATED | N. 1E AND DATED SIGNATURE OF A CO. MUNICATED TO IN THE DEVELO | LL RELEVANT PERSONNEL WHO HAVE B PMENT AND APPROVAL OF THIS SWMS | EEN CONSULTED AND |
| Safety meetings or toolbox talks will be sched ed in accordance with agislative requirements to first identify any site hazards, conditions unical those hazards and then to further take steps to either the conditions of the cond | NAME | SIGNATURE | DATE |
| If an incident or a near miss occurs, all work must standardly. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity. | | | |
| Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel. | | | |
| The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident. | | | |



| | | CL | IENT OR PRINCIPAL | CONTRACTOR D | DETAILS | | | | |
|----------------------------|-------------------------------|--------------------------------|-----------------------|--|---|------------------------|--------------|--|--|
| Client: | | | | | | SCOPE OF WORKS | | | |
| Project Name: | | | | Provide a detailed description | n of the specific work being | carried out (otherwise | | | |
| Project Address: | | | | | known as cope of works). | | | | |
| Project Manager: | | | | | | | | | |
| Contact Phone: | | | | | | | | | |
| Project Manager Sig | gnature: | | | | | | | | |
| Date SWMS supplie | ed to Project Manager: | | | | | | | | |
| | | ANY HIGH | RISK CON PUCT | N' JRK BEING | CARRIED OUT | | | | |
| ☐ involves a risk of a p | erson falling more than 2 n | neters. | | is carried out on or near pressurised gas mains or piping. | | | | | |
| ☐ is carried out on a te | lecommunication tower. | | $H \cap H$ | is carried out on | is carried out on or near chemical, fuel or refrigerant lines. | | | | |
| ☐ involves demolition of | of an element of a structure | that is load-be | | is carried out on | is carried out on or near energised electrical installations or services. | | | | |
| ☐ involves demolition of | of an element related to the | e physical integril of a str | 3 | is carried out in an area that may have a contaminated or flammable atmosphere. | | | | | |
| ☐ involves, or is likely t | o involve, disturbing a es | stos. | | ☐ involves tilt-up or precast concrete. | | | | | |
| ☐ involves structural al | teration or repair that re | mporal, upp to p | prevent collapse. | is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor. | | | | | |
| is carried out in or ne | ear a confined space. | | | is carried out in an area of a workplace where there is any movement of powered mobile plant. | | | | | |
| ☐ is carried out in/near | a shaft or trench deeper th | nan 1.5m or tunnel involvir | ng use of explosives. | is carried out in areas with artificial extremes of temperature. | | | | | |
| is carried out in or ne | ear water or other liquid tha | at involves a risk of drowning | ng. | involves diving v | vork. | | | | |
| | | ANY H | IGH-RISK MACHINER | RY OR EQUIPMEN | NT NEARBY | | | | |
| ☐ Forklift | ☐ Crane/s | ☐ Hoist/s | ☐ Excavator | ☐ Backhoe/Loader | Boom Lift | □ EWP | ☐ Genie Lift | | |
| ☐ Trencher | ☐ Drilling Rig | Trucks | Formwork | ☐ Bobcat | ☐ Flammable Gas | ☐ Fuel | ☐ Dozer | | |
| ☐ High Voltage | ☐ Mulcher | ☐ Tilt-up Panels | Roller | ☐ Scissor Lift | ☐ Tractor | ☐ Other - | | | |





FOOT HAND **HEAD HEARING** SPIRATORY FACE HIGH-VIS **PROTECTIVE** FALL SUN HAIR/JEWELLERY CLOTHING **PROTECTION PROTECTION** PROTECTION **PROTECTION** PROTE DTECTION **PROTECTION** CLOTHING **PROTECTION PROTECTION SECURED**

Select me appropriate PPE above suitable for the equipment used or the job task being performed (if applicable).

Note: A SWMS must be reviewed regularly to make sure it remains effective. A SWMS must be reviewed (and revised if necessary) if relevant control measures are revised. The review process should be carried out in consultation with workers (including contractors and subcontractors) who may be affected by the operation of the SWMS and their health and safety representatives who represented that work group at the workplace.

When a SWMS has been revised, the person conducting a business or undertaking must ensure all:

- 1. persons involved in the work are advised that a revision has been made and how they can access the revised SWMS;
- 2. persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS: and.
- 3. workers that will be involved in the work are provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|---------------------|--|-----------------|---|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| 1. Preparation | Chemical exposure, slippery floors | | Proper training: Ensure all workers involved in the Thermal Parts Washer operation have appropriate training and understanding of the of micals being used, their potential hazards, and safe handling procedures Personal Protective Equipment (PPE): We are should wear appropriate PPE, such as gloves, safety goggles, and chemical-resulant aproper coveralls, when working with hazardous chemicals and during the clean gardies to minimise exposure. Adequate ventilation: Ensure that the work area well-ventilated to prevent excessive accumulation of chapital furnes, which may post an ealth hazard. Chemical storage and adding after chemicals in coordance with manufacturer recommendations and go an mental udelines, ensuring they are kept in securely sealed contained and awar om her source or ignition points. Spill contained and defaults: Have the adds readily accessible within the work area or ensured by a know how to use them effectively in case of any accidental spills. Slip-ruists aflooring Install slip-resistant flooring in work areas where there may be water or chapical spiles to reduce the risk of slips, trips, and falls. Sulla touse poing: Maintain regular housekeeping practices to keep floors free of one is, butter, and slippery substances. Clear signage and labeling: Clearly label all hazardous chemicals and post signs at the entrance to the work area to inform workers of potential risks and precautions. Pre-operation inspection: Conduct a thorough pre-operation inspection of the Thermal Parts Washer to ensure all safety features are functioning correctly and there is no damage or wear from previous use. MSDS access: Ensure that Material Safety Data Sheets (MSDS) for all chemicals involved are readily accessible to workers at all times. Emergency eyewash stations and showers: Install and maintain emergency eyewash stations and showers close to the work area, ensuring that workers are trained on their proper usage.<td></td><td>NAME OF PERSON</td> | | NAME OF PERSON |
| | | | - Safe work procedures: Develop and implement written, step-by-step procedures for the safe operation of the Thermal Parts Washer, including specific instructions on dealing with hazards and emergency situations. | | |
| | | | - Periodic safety audits: Conduct regular safety audits to ensure that all control measures are being followed, identify areas of improvement, and address potential hazards before they can cause harm. | | |
| 2. Equipment setup | Electrical hazards, improper equipment grounding | ЗН | - Inspect electrical equipment: Regularly inspect the Thermal Parts Washer and all electrical components to ensure they are in good working condition, free from defects and damage that may lead to electrical hazards. | 2M | |
| | | | - Grounding of equipment: Ensure that the Thermal Parts Washer is properly grounded, following the manufacturer's guidelines and adhering to relevant | | |

Date of Issue:



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|---------------------|---|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | Australian standards. This will help prevent electric shocks and possible electrocution. - Correct power supply usage: Use a dedicated power source with sufficient capacity for the Thermal Parts Washer. Avoid overloading power sockets or using extension cords where possible, as this can increase ourisk of electrical hazards. - Safe installation: The equipment should be utalled a set up by qualified professionals, ensuring it meets all necessary. - Circuit breakers and residual acrent devices (RCu. In our circuit breakers or RCDs to minimise the confect of electrical accidents. The devices will trip and cut power in case of a electrical fault ashort circuit. - Clear signal and instructions: Plat alear gnage around the work site to indicate possible electrical hazards and proper age of the Thermal Parts Washer. Ensure work anderst ad the safe operating procedure of the specific equipment. - Training and eduction: Provide adequate training to workers on the correct use of the Thermal hazards. - Training and eduction: Provide adequate training to workers on the correct use of the Thermal hazards. - Training and eduction: Provide adequate training to workers on the correct use of the Thermal hazards. - Training and eduction: Provide adequate training to workers on the correct use of the Thermal hazards. - Training and eduction: Provide adequate training to workers wear appropriate PPE such a final taled gloves, safety footwear, and eye protection while operating the quipment to protect against potential electrical hazards. - Dergency shut-off switch: Install an emergency shut-off switch in a clearly visible and accessible location near the Thermal Parts Washer. This will allow workers to quickly shut off the machine in case of an emergency. - Regular maintenance: Conduct routine maintenance checks on the equipment to identify any deterioration or faults that could lead to electrical hazards, and repair or replace faulty parts promptly. - Safe work environment: Keep the working area clean, dry, and free f | NION | |
| 3. Loading parts | Manual handling injuries, dropped objects | 2M | Proper training: Ensure that all workers are adequately trained on correct manual handling techniques, including lifting, carrying, pushing, and pulling. Use appropriate equipment: Utilise equipment such as trolleys, hoists, or forklifts to help move heavy or large parts, reducing the manual handling component of loading and unloading. Perform a risk assessment: Prior to loading parts, conduct a thorough risk assessment to identify potential hazards and put in place necessary control measures. | 1L | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|---------------------|----------------------------------|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | - Maintain a clear workspace: Keep the work area free from obstacles and debris to minimise the risk of tripping, falling, and dropped objects. | | |
| | | | - Implement team lifting: If the part is too heavy or kward for one person to handle, use a coordinated team lift approach. | | |
| | | | - Establish load limits: Clearly define safe was the limits for afferent types of parts and ensure workers do not try to lift or handle item beyon weir capacity. | | |
| | | | - Wear appropriate PPE: Provide workers with personal protection equipment such as gloves, safety shoes, and performed hats while load parts in the thermal parts washer. | | |
| | | | - Use adequate lighting. In the work area will help workers see what they're doing. It wring the k of a clents and paries. | | |
| | | | - Implement power storace. Ensure storace areas for heavy or bulky parts are design to minimise modulal handling and provide easy access when needed. | | |
| | | | - Reg to eaks: Le ourage workers to take regular breaks to reduce fatigue, which can co rib to ma all handling injuries. | | |
| | | | - Ergonomic or ign: Deagn the layout of the workstation to minimise bending, isting, and reading while loading and unloading parts. | | |
| | | | - See that rts during movement: Before moving any parts, make sure they are roperly ured to prevent dropped objects. | | |
| | | \rightarrow | - nitor worker health: Regularly monitor workers for signs of strain or injury due to manual handling tasks and adjust workload or provide extra support accordingly. | | |
| | | | - Encourage incident reporting: Create an open culture where workers feel comfortable reporting incidents or near misses, allowing for continuous improvement in workplace safety. | | |
| | | | | | |
| | | | | | |
| | | | | | |
| 4. Cleaning cycle | Noise exposure, heat burn hazard | 2M | | 1L | |
| | | | | | |
| | | | | | |
| | | | | | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|---------------------|---|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | | | |
| 5. Unloading parts | Manual handling injuries, dropped objects | 2M | | 1L | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|---------------------|---------------------------------|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | | | |
| 6. Inspecting parts | Sharp edges, repetitive motions | 2M | | 1L | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|-----------------------|-------------------------------------|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | | | |
| 7. Storage & disposal | Inadequate storage, chemical spills | 2M | | 1L | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|-------------------------------|---|-----------------|--|------------------------|------------------------------------|
| JOB STEP SPECIFIC WORK STEPS | POTENTIAL HAZARDS HAZARDS THAT MAY ARISE | IR INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RR RESIDUAL RISK | RESPONSIBLE PERSON NAME OF PERSON |
| | | | | | |
| 8. Regular maintenance | Mechanical hazards, chemical exposure | ЗН | | 1L | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|---------------------|---------------------------------------|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | | | |
| 9. Troubleshooting | Electrical shock, unexpected start-up | 3H | | 1L | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|---------------------|------------------------|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | | | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|------------------------|---|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | | | |
| 10. Emergency response | Fire risk, chemical washes on skin/eyes | 3H | | 2M | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|------------------------|-------------------------------------|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | | | |
| 11. Shutdown procedure | Electrical hazards, confined spaces | 2M | | 1L | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|----------------------------------|------------------------------------|-----------------|--|------------------|------------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | PERSON NAME OF PERSON |
| 12. Clean up and housekeeping | Manual handling injuries, s, falls | 2M | | 1L | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | RESPONSIBLE PERSON |
|---------------------|------------------------|-----------------|--|------------------|--------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | NAME OF PERSON |
| | | | | | |
| | | | | | |



EMERGENCY RESPONSE - CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES. ANY STATE OF AT ARE NOT APPLICABLE.

Queensland & Australian Capital Territory

Work Health and Safety Act 2011

Work Health and Safety Regulations 2011

Legislation QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws

Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations

Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice

New South Wales

Work Health and Safety Act 2011

Work Health and Safety Regulations 2017

Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislations/

Codes of Practice NSW: https://www.safework.nsw.gov.au/resource-library/lis > odes-or racti

Northern Territory

Work Health and Safety (National Uniform Legislation) Act 2011

Work Health and Safety (National Uniform Legislation) Regulation 2011

Legislation NT: https://worksafe.nt.gov.au/laws-and-compliance/wo_place-syllaws

Codes of Practice NT: https://worksafe.nt.gov.au/5

South Australia

Work Health and Safety Act 2012 (SA)

Work Health and Safety Regulations 2012 (SA)

Legislation for SA: https://www.safework.sa.gov.au/resources/le_lation

Codes of Practice for SA: https://www.safework.sa.gov.au/wor/ aces/codes-of-practice#COPs

Tasmania

Work Health and Safety Act 2012

Work Health and Safety (Transitional and Consequential Provisions) Act 2012

Work Health and Safety Regulations 2012

Work Health and Safety (Transitional) Regulations 2012

Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations

Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.

Victoria

Occupational Health al. Safety Act

Occupational Health and afety gulations 2017

Legis on VIC: https://www.xsafe.vic.gov.au/occupational-health-and-safety-act-and-

gulat

des on actice VIC attps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice

Western Australia

Work Health and Safety Act 2020

Work Health and Safety Regulations 2022

Legislation Western Australia: https://www.commerce.wa.gov.au/worksafe/legislation Codes of Practice WA: https://www.commerce.wa.gov.au/worksafe/codes-practice

Safe Work Australia Links

Law and Regulation (All States): https://www.safeworkaustralia.gov.au/law-and-regulation Model Codes of Practice: https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice

Model Codes of Practice

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work



SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

| Tollow ally sale work instructions which are provided, and agrees to use all resonal riolective Equipment where appropriate. | | | | | | | | |
|---|-----|------------|----------------|--|----------------------------|------------|----------|--|
| Worker Name | Pos | sition | Signature | Date | Time | Sup | pervisor | |
| | | | | Date: | | | | |
| | | | _ | | | | | |
| | | | | Date | | | | |
| | | | l te: | | | | | |
| | | | AV | Date: | | | | |
| | | | | Date: | | | | |
| | | | | Date: | | | | |
| | | | | Date: | | | | |
| | | SAF WO A S | THUD STATEMENT | MONITORING AND | REVIEW | | | |
| The SWMS must be reviewed regularly to the ke sure it remains effective and must be reviewed (and revised if necessary) if relevant control measurements are subcontracted by process should be carried out in consultation with workers (including contractors are subcontracted)) who may be affected by the operation of the SWMS and their health and safety representatives who researched that work group at the workplace. When the SWMS has been revised the PCBU must ensure that all persons involved with the work are advised that a revision has been made and how they can access the revised SWMS, including all persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist | | | | An approach of continuous improvement, promptly recording inconsistencies or deficiencies, followed up by immediate corrective action and consultation with all relevant personnel ensures | | | | |
| them to understand and imp | | | | | tently developing ever-imp | 3 , | · ' | |
| REVIEW NUMBER | 1 | □ 2 | □ 3 | □ 4 | □ 5 | □ 6 | □ 7 | |
| NAME | | | | | | | | |
| INITIALS | | | | | | | | |
| DATE | | | | | | | | |



SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

| ITEMS WHICH MUST BE INCLUDED IN THE SWMS | COMPLETED | TO BE DONE | COMMENTS |
|---|-----------|------------|----------|
| | | | |
| The company details have been entered, including the project name and address. | | | |
| Names and signatures of all relevant personnel consulted during the development of the SWMS. | | P P | |
| Name, signature, position and date signed of the person approving the SWMS. | | | |
| Specific personnel and qualifications, experience is noted in the SWMS. | P | | |
| Provides a step-by-step process of tasks required to carry out the activity or task. | | | |
| Adequate risk assessment of any identified hazards has been completed. | | | |
| Foreseeable hazards are identified and documented for each step. | | | |
| Any hazards listed in any site risk assessments have been added to the SWh | | | |
| SWMS initial risk (IR) column as well as residual risk (RR) columns completed. | | | |
| Check control measures added to the SWMS are the most effecting so tions. | | | |
| Responsible person is assigned and listed on the SWMS for the imperent of continue assures. | | | |
| Permit requirements specified, such as Hot Work, Veralt Heights etc. | | | |
| SWMS identifies plant and equipment to be u d. | | | |
| Details of inspection checks required for any equipment listed are noted on the SWMS. | | | |
| Describes any mandatory qualifications, experience raining skills required to perform the work. | | | |
| Applicable personal protective equipment is selected on the SWMS. | | | |
| Lists any required permits or licenses. | | | |
| Reflects and documents any legislative references and/or Australian Standards. | | | |
| dentifies any hazardous substances used with specific control measures in line with any SDS. | | | |
| | | | |
| REVIEWED BY | DATE R | EVIEWED | |
| SIGNATURE | DATE CO | MPLETED | |