

Hydraulic Punch	SAFE WORK METHOD ST	ATEMENT (SWMS)	
TA	ASK OR ACTIVITY: Hydraulic Pur	nch	
Business Name: [Company Name]		ABN: [ABN]	SWMS#
Business Address: [Company Address]			
Contact Person:	Phone: [Phone]	E fil:	
THIS SAFE WORK METHOD	STATEMENT IS APPROVED BY	THE PLOOF THE PROJECT	
Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts.	cting a business or undertaking (I SU) is	required to ture at a safe work method s	tatement (SWMS) is prepared before
Full Name:			
Signature:		Title:	Date:
Details of the person(s) responsible for ensuring implementation, monitoring	compliance of the SWMS well as review	s and modifications of the SWMS.	
Full Name:		Title:	Phone:
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS WMS. ST HAVE THE FOLLOWING COMMUNICATED	N. 1E AND DATED SIGNATURE OF A CO. MUNICATED TO IN THE DEVELO	LL RELEVANT PERSONNEL WHO HAVE B PMENT AND APPROVAL OF THIS SWMS	EEN CONSULTED AND
Safety meetings or toolbox talks will be sched ed in accordance with agislative requirements to first identify any site hazards, conditions unical those hazards and then to further take steps to either the conditions are or conditions.	NAME	SIGNATURE	DATE
If an incident or a near miss occurs, all work must standardly. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.			
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.			
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.			

Version 2.5 Authorised by Review # Date of Issue: Review Date: 1



		CL	IENT OR PRINCIPAL	CONTRACTOR D	DETAILS				
Client:						SCOPE OF WORKS			
Project Name:				Provide a detailed description	n of the specific work being	carried out (otherwise			
Project Address:					known as cope of works).				
Project Manager:									
Contact Phone:									
Project Manager Sig	gnature:								
Date SWMS supplie	ed to Project Manager:								
		ANY HIGH	RISK CON PUCT	N' JRK BEING	CARRIED OUT				
☐ involves a risk of a p	erson falling more than 2 n	neters.		is carried out on or near pressurised gas mains or piping.					
☐ is carried out on a te	lecommunication tower.		M + M	is carried out on	is carried out on or near chemical, fuel or refrigerant lines.				
☐ involves demolition of	of an element of a structure	that is load-be		is carried out on	is carried out on or near energised electrical installations or services.				
☐ involves demolition of	of an element related to the	e physical integrit of a str	3	is carried out in an area that may have a contaminated or flammable atmosphere.					
☐ involves, or is likely t	o involve, disturbing a es	stos.		☐ involves tilt-up or precast concrete.					
☐ involves structural al	teration or repair that re	mporal, upp to p	prevent collapse.	is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor.					
is carried out in or ne	ear a confined space.			is carried out in an area of a workplace where there is any movement of powered mobile plant.					
☐ is carried out in/near	a shaft or trench deeper th	nan 1.5m or tunnel involvir	ng use of explosives.	is carried out in	areas with artificial extremes of	f temperature.			
is carried out in or ne	ear water or other liquid tha	at involves a risk of drowning	ng.	involves diving v	vork.				
		ANY H	IGH-RISK MACHINER	RY OR EQUIPMEN	NT NEARBY				
☐ Forklift	☐ Crane/s	☐ Hoist/s	☐ Excavator	☐ Backhoe/Loader	Boom Lift	□ EWP	☐ Genie Lift		
☐ Trencher	☐ Drilling Rig	Trucks	Formwork	☐ Bobcat	☐ Flammable Gas	☐ Fuel	☐ Dozer		
☐ High Voltage	☐ Mulcher	☐ Tilt-up Panels	Roller	☐ Scissor Lift	☐ Tractor	☐ Other -			

Version 2.5 Authorised by Review # Date of Issue: Review Date: 2





FOOT HAND **HEAD HEARING** SPIRATORY FACE HIGH-VIS **PROTECTIVE** FALL SUN HAIR/JEWELLERY CLOTHING **PROTECTION PROTECTION** PROTECTION **PROTECTION** PROTE DTECTION **PROTECTION** CLOTHING **PROTECTION PROTECTION SECURED**

Select me appropriate PPE above suitable for the equipment used or the job task being performed (if applicable).

Note: A SWMS must be reviewed regularly to make sure it remains effective. A SWMS must be reviewed (and revised if necessary) if relevant control measures are revised. The review process should be carried out in consultation with workers (including contractors and subcontractors) who may be affected by the operation of the SWMS and their health and safety representatives who represented that work group at the workplace.

When a SWMS has been revised, the person conducting a business or undertaking must ensure all:

- 1. persons involved in the work are advised that a revision has been made and how they can access the revised SWMS;
- 2. persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS: and.
- 3. workers that will be involved in the work are provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
1. Preparation	Incorrect equipment selection, Poor site conditions	2M	 Undertake a thorough risk assessment before selecting the appropriate hydraulic punch equipment for the specific task and site conditions, keeping in mind factors like material strength, size, and working area. Ensure workers are trained and competer or using hydraulic punch equipment including proper operation, maintenance, an exafety produces. Always read and follow equipment manufacts and elines for safety, operation, and maintenance when using a hydraulic punch schine. Visit and assess the worksite for to commencing or covering that all potential risks, hazards, and exist seleval ractors like ground scallity, weather, and space constraints are channelly and a ressed. Establish concommunic on channels be usen team members on-site, ensuring that eviryone mains in med of plan activities, upcoming changes, or identical hazare. Develope the site-specific emergency response plan that covers all possible scenarios related to the use of or braulic punch equipment, with clearly defined roles and respons lilitie or each sam member during an incident. sovide uitable personal Protective Equipment (PPE) for workers, such as safety glove or gles, hard hats, and high-visibility clothing, and ensure their proper usage brough one work process. sesignate specific areas for equipment storage and movement to avoid congestion and tripping hazards at the worksite. Regularly evaluate and maintain hydraulic punch equipment to ensure optimal performance, minimise the risk of equipment failure, and identify any wear and tear that could cause safety concerns. Set up temporary barriers and signage around the work area as necessary, alerting other workers, pedestrians, or vehicles of potential hazards or restricted access. Implement regular safety meetings and toolbox talks, encouraging open dialogue and feedback from team members about ongoing tasks, safety concerns, or operational improvements related to hydraulic punch equipment and wo	1L	
2. Inspection	Inadequate inspection, Faulty equipment	3H	 Implement a regular inspection schedule for the hydraulic punch equipment to ensure it is in good working condition. Train all operators on how to properly inspect the hydraulic punch, its components and accessories, as well as identify potential hazards related to faulty equipment. Develop an inspection checklist, listing all necessary inspection points and guidelines for detecting any signs of wear, corrosion or damage that can lead to equipment failure. 	1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			- Use qualified personnel with appropriate knowledge and experience to inspect and assess the hydraulic punch equipment's condition.		
			- Consult manufacturer guidelines and recommendations, ensuring that inspections adhere to these standards and maintenance process.		
			- Maintain proper documentation of all inspections performed, including dates, findings, and any corrective actions taken. It is a cords on file to reference requirements during future inspections.		
			- Remove from operation and suipment that does not pass in section or is considered faulty, until repairs the been successful considered by a qualified technician.		
			- Regularly change of leaks that could conform the achine's orformice or safety.		
			- Ensure that an enfety courds and mediumisms are in place, functioning correctly, and floor both courses before beginning the operation of hydraulic punches.		
			- Keep los of any la functions, accidents, or near-misses related to hydraulic punch a uiph of, investigating their underlying causes to prevent recurrence.		
			Review poling and consumables being used with the hydraulic punch, replacing the last eded to maintain optimum performance and safety.		
			Perform by preventative maintenance tasks recommended by the manufacturer, ich could include lubricating parts, checking for proper alignment, and tightening bo		
			Utilise appropriate personal protective equipment (PPE) during inspections, such as gloves, safety glasses, and footwear, to minimise the risk of injury while handling the hydraulic punch equipment.		
			- Conduct a thorough risk assessment prior to setup, identifying potential tripping hazards and locations where falling objects may occur.		
			- Clearly mark the designated work area with appropriate signage and barriers to prevent unauthorised access or inadvertent entry.		
2 Set up area	Tripping hazards Falling chicets	2M	- Ensure that the work surface is level, clean, and free of debris or obstructions that may cause tripping hazards.	41	
J. Set up alea	3. Set up area Tripping hazards, Falling objects	2M	- Arrange equipment, materials, and tools in an organised manner, with appropriate storage when not in use to minimise clutter and the risk of tripping.	1L	
			- Provide adequate lighting in the work area to ensure visibility and reduce the risk of tripping hazards.		
			- Implement a regular inspection and maintenance schedule for all equipment being used, specifically focusing on checking the hydraulic punch for wear, damage, or loose components that may result in falling objects.		



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
			- Establish a comprehensive training programme for workers on safe work practices and hazard identification, including instruction on how to safely set up and operate the hydraulic punch.		
			- Maintain clear communication lines between the members of the work team, ensuring everybody is aware of any ongoing activities or potential hazards in the area.		
			- Utilise personal protective equipment (PPE) such and hats, safety glasses, and steel-toe boots to reduce the risk of injury from the ring hazarde and falling objects.		
			- In cases where there is a poly dial for falling object est wish a "no-go zone" below the work area are appropriate barricades and agrage to prevent entry.		
			- Follow a systematic approach to the placement emachinery, equipment, and construction terials, price sing the literariat pose the least risk of becoming falling objects.		
			- Proper secure equipment or materials located at heights, using tie-downs, tarps, or restricts to ensure they cannot accidentally dislodge or fall.		
			- Estable have ddy sy e.m., with one worker acting as a spotter during setup and operation to all others of potential hazards and mitigate risks.		
	1		- In least a regular review process of the implemented control measures for this work sewell as a procedure for reporting and rectifying any identified ortcomings to ensure ongoing effectiveness of the strategies in place.		
4. Position punch	Manual handling injuries, Struck by object	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
5. Connect hydraulic pump	Electric shock, Fluid leaks	3Н		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
6. Check connections	Loose fittings, Damaged hoses	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
7. Operate punch	Entanglement, Flying debris	ЗН		2M	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
8. Change dies	Crushing injuries, Hand injuries	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
9. Punching operation	Noise exposure, Eye injuries	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL	PERSON NAME OF PERSON
10. Hose disconnection	Stored energy release, Tripping hazards	3H		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
11. Shut down system	Uncontrolled shutdown, Inadequate lockout/tagout procedures	ЗН		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
12. Clean up	Slips and trips, Handling waste materials	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
13. Maintenance	Incomplete maintenance, Untrained workers'	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
14. Loading/Unloading	Forklift incidents, Falling materials	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
15. Transport	Vehicle accidents, Equipment shifting	3H		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	IR INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RR RESIDUAL RISK	PERSON NAME OF PERSON
16. Storage	Poorly organised storage, Inadequate space	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
17. Emergency Response	Inadequate fire extinguisher inspection, Lack of first aid kit	2M		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	NAME OF PERSON
18. Training	Inexperienced operators, Improper technique	31-		1L	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES		RESPONSIBLE PERSON
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS		NAME OF PERSON





EMERGENCY RESPONSE - CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES. ANY STATE OF AT ARE NOT APPLICABLE.

Queensland & Australian Capital Territory

Work Health and Safety Act 2011

Work Health and Safety Regulations 2011

 $\textbf{Legislation QLD:} \ \underline{\textbf{https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws}$

Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations

Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice

New South Wales

Work Health and Safety Act 2011

Work Health and Safety Regulations 2017

Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislati

Codes of Practice NSW: https://www.safework.nsw.gov.au/resource-library/lis

Northern Territory

Work Health and Safety (National Uniform Legislation) Act 2011

Work Health and Safety (National Uniform Legislation) Regulation 201

Legislation NT: https://worksafe.nt.gov.au/laws-and-compliance/wo_place-

Codes of Practice NT: https://worksafe.nt.gov.au/5

South Australia

Work Health and Safety Act 2012 (SA)

Work Health and Safety Regulations 2012 (SA)

Legislation for SA: https://www.safework.sa.gov.au/resources/legislation

Codes of Practice for SA: https://www.safework.sa.gov.au/work_aces/codes-of-practice#COPs

Tasmania

Work Health and Safety Act 2012

Work Health and Safety (Transitional and Consequential Provisions) Act 2012

Work Health and Safety Regulations 2012

Work Health and Safety (Transitional) Regulations 2012

Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations

Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.

Victoria

Occupational Health al. Safety Act

Occ. ational Health and afety gulations 2017

Legis on VIC: https://www.csafe.vic.gov.au/occupational-health-and-safety-act-and-

<u>qulat.</u>

des on actice VI autros://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice

Western Australia

Work Health and Safety Act 2020

Work Health and Safety Regulations 2022

Legislation Western Australia: https://www.commerce.wa.gov.au/worksafe/legislation Codes of Practice WA: https://www.commerce.wa.gov.au/worksafe/codes-practice

Safe Work Australia Links

Law and Regulation (All States): https://www.safeworkaustralia.gov.au/law-and-regulation Model Codes of Practice: https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice

Model Codes of Practice

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work



SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Pos	sition	Signature	Date	Time	Sup	pervisor
				Date:			
				l te:			
			AV	Date:			
				Date:			
				Date:			
				Date:			
		SAF WC A	STATEMENT	MONITORING AND	REVIEW		
The SWMS must be reviewed regularly to roke sure it remains effortive and must be reviewed (and revised if necessary) if relevant control measure are subcontractors				person responsible for monitoring the effectiveness of the Safe Work Method Statement shoul employ a multi-faceted approach which includes but is not limited to: 1. Spot Checks. 2. Consultation with workers, contractors and sub-contractors. 3. Internal audits on a continual basis.			
REVIEW NUMBER	<u> </u>	□ 2	□ 3	□ 4	□ 5	□ 6	□ 7
NAME							
INITIALS							
DATE							

Version 2.5 Authorised by Review # Date of Issue: Review Date: 24



SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	TO BE DONE	COMMENTS
The company details have been entered, including the project name and address.			
Names and signatures of all relevant personnel consulted during the development of the SWMS.		P P	
Name, signature, position and date signed of the person approving the SWMS.			
Specific personnel and qualifications, experience is noted in the SWMS.	P		
Provides a step-by-step process of tasks required to carry out the activity or task.			
Adequate risk assessment of any identified hazards has been completed.			
Foreseeable hazards are identified and documented for each step.			
Any hazards listed in any site risk assessments have been added to the SWI			
SWMS initial risk (IR) column as well as residual risk (RR) columns completed.			
Check control measures added to the SWMS are the most effections.			
Responsible person is assigned and listed on the SWMS for the imperent of contameasures.			
Permit requirements specified, such as Hot Work, Electrical Work, Variat Heights etc.			
SWMS identifies plant and equipment to be u 1.			
Details of inspection checks required for any equipment listed at noted on the SWMS.			
Describes any mandatory qualifications, experience raining skills required to perform the work.			
Applicable personal protective equipment is selected on the SWMS.			
Lists any required permits or licenses.			
Reflects and documents any legislative references and/or Australian Standards.			
Identifies any hazardous substances used with specific control measures in line with any SDS.			
REVIEWED BY	DATER	EVIEWED	
SIGNATURE		MPLETED	

Version 2.5 Authorised by Review # Date of Issue: Review Date: 25